



PRODUCTS CATALOGUE

SAFUN

BUILD FOR A PERFECT LAWN

- **POWERFUL**
- **PRECISE**
- **DEPENDABLE**



 contact@ziasourcing.com

 +8619700338590

 www.ziasourcing.com

FINE FOX - ULTRA V2



FINE FOX - ULTRA V1



10000m²
Cutting Capacity

Cutting Capacity	10000m ² (2.5 Acre)
Rated Voltage	20V
Battery Capacity	8.0Ah
No-load Speed	3100r/min
Cutting Width	450mm(18")
Cutting Height	25mm - 60mm(1"-2.4" 8 Steps)
Wheel Diameter	Rear 200mm, Front 160mm (Rear 8", Front 6.3")
Mowing Time Per Charge	60min
Max Slope	80%(38.6°)
Path Planning	Yes
Charger Current	3.0A
Charging Time	2.6h
Quantity Per Carton	1pc
Net Weight	25kg(55lb)
Packing Size	85x68x42cm (33.46"x26.77"x16.5")
Pcs/Container (20'/40'/HQ)	105pcs/220pcs/260pcs

ROBOTIC LAWN MOWER
SF8B122 NEW



8000m²
Cutting Capacity

Cutting Capacity	8000m ² (2 Acre)
Rated Voltage	20V
Battery Capacity	8.0Ah
No-load Speed	3100r/min
Cutting Width	450mm(18")
Cutting Height	25mm - 60mm(1"-2.4" 8 Steps)
Wheel Diameter	Rear 200mm, Front 160mm (Rear 8", Front 6.3")
Mowing Time Per Charge	60min
Max Slope	80%(38.6°)
Path Planning	Yes
Charger Current	3.0A
Charging Time	2.6h
Quantity Per Carton	1pc
Net Weight	25kg(55lb)
Packing Size	85x68x42cm (33.46"x26.77"x16.5")
Pcs/Container (20'/40'/HQ)	105pcs/220pcs/260pcs

ROBOTIC LAWN MOWER
SF8B121 NEW



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com

FINE FOX - X13




AI Vision GPS+RTK

Delivers High-precision Positioning
The robot mower doesn't need a boundary wire



ZIA SOURCING
GLOBAL SOURCING PARTNER



Automatic navigation

 contact@ziasourcing.com

 +8619700338590

 www.ziasourcing.com



NEW

3000 m²
Cutting Capacity

5000 m²
Cutting Capacity

ROBOTIC LAWN MOWER
SF8B170-B


ROBOTIC LAWN MOWER
SF8B170

Cutting Area	3000m ² (3/4 Acre)	5000m ² (1.25 Acre)
Rated Voltage	20V	20V
Battery Capacity	4.0Ah	8.0Ah
No-load Speed	3100r/min	3100r/min
Cutting Width	220mm(8.7")	220mm(8.7")
Cutting Height	25mm - 60mm(1"-2.4" 8 Steps)	25mm - 60mm(1"-2.4" 8 steps)
Wheel Diameter	Rear 220mm, Front 80mm (Rear 8.7", Front 3")	Rear 220mm, Front 80mm (Rear 8.7", Front 3")
Mowing Time Per Charge	70min	140min
Max Slope	36%(20°)	36%(20°)
Charger Current	3.0A	3.0A
Charging Time	1.3h	2.6h
Quantity Per Carton	1pc	1pc
Net Weight	10kg(22lb)	10.5kg(23.1lb)
Packing Size	79x44x33cm(31"x17.3"x13")	79x44x33cm(31"x17.3"x13")

Pcs/Container (20'/40'/40'HQ)

240pcs/500pcs/540pcs

240pcs/500pcs/540pcs



X2



contact@ziasourcing.com




+8619700338590



www.ziasourcing.com

FINE FOX - X12



NEW

600 m²
Cutting Capacity

ROBOTIC LAWN MOWER
SF8B169-B

1200 m²
Cutting Capacity

ROBOTIC LAWN MOWER
SF8B169

1200 m²
Cutting Capacity

ROBOTIC LAWN MOWER
SF8B169-T

	600m ² (0.15 Acre)	1200m ² (1/3 Acre)	1200m ² (1/3 Acre)
Cutting Area	600m ² (0.15 Acre)	1200m ² (1/3 Acre)	1200m ² (1/3 Acre)
Rated Voltage	20V	20V	20V
Battery Capacity	2.0 Ah	4.0 Ah	4.0 Ah
No-load Speed	3100r/min	3100r/min	3100r/min
Cutting Width	220mm(8.7")	220mm(8.7")	220mm(8.7")
Cutting Height	25mm - 60mm(1"-2.4" 8 Steps)	25mm - 60mm(1"-2.4" 8 Steps)	25mm - 60mm(1"-2.4" 8 Steps)
Wheel Diameter	Rear 220mm, Front 80mm (Rear 8.7", Front 3")	Rear 220mm, Front 80mm (Rear 8.7", Front 3")	Rear 220mm, Front 80mm (Rear 8.7", Front 3")
Mowing Time Per Charge	35min	70min	70min
Max Slope	36%(20°)	36%(20°)	36%(20°)
Charger Current	1A	3.0A	3.0A
Charging Time	2h	1.3h	1.3h
Path Planning Routing	No	No	Yes
Quantity Per Carton	1pc	1pc	1pc
Net Weight	9.5kg(20.9lb)	10kg(22lb)	10kg(22lb)
Packing Size	79x44x32.5cm(31"x17.3"x12.8")	79x44x32.5cm(31"x17.3"x12.8")	79x44x32.5cm(31"x17.3"x12.8")
Pcs/Container (20'/40'/HQ)	245pcs/525pcs/576pcs	245pcs/525pcs/576pcs	245pcs/525pcs/576pcs



FINE FOX - X3



Safe, durable and efficient blades

The cutting disc with reliable safety protection and durable design to ensure safe and efficient operation. Low noise design.

220 mm
Cutting Width



1000 m²
Cutting Capacity

ROBOTIC LAWN MOWER
SF8B102-A

Cutting Area	1000m ² (1/4 Acre)
Rated Voltage	20V
Battery Capacity	4.0 Ah
No-load Speed	3100r/min
Cutting Width	220mm(8.7")
Cutting Height	25mm - 60mm (1"-2.4")(8 Steps)
Wheel Diameter	Rear 200mm, Front 80mm (Rear 8", Front 3")
Charging Time	1.6h
Working Time Up to	90min
Max Slope	47%(25°)
Boundary Wire	200m(656R)
Nail For Boundary Wire	350+6pcs
Quantity Per Carton	1pc
Net Weight	9.5kg(21 lb)
Packing Size	69x53x30cm(27.2"x20.8"x11.8")
Pcs/Container (20'/40'/40'HQ)	251pcs/524pcs/615pcs



SF8B102-A



25° Max Slope up to

FINE FOX - X1



Automatic Obstacle Avoidance



Safe, durable and efficient blades

The cutting disc with reliable safety protection and durable design to ensure safe and efficient operation. Low noise design.

180mm
Cutting Width



500 m²
Cutting Capacity

ROBOTIC LAWN MOWER
SF8B102

Cutting Capacity	500m ² (1/8 Acre)
Rated Voltage	20V
Battery Capacity	2.0
No-load Speed	3100r/min
Cutting Width	180mm(7")
Cutting Height	25mm - 60mm (1"-2.4")(8 Steps)
Wheel Diameter	Rear 200mm, Front 80mm (Rear 8", Front 3")
Charging Time	45min
Mowing Time Per Charge	45min
Max Slope	47%(25°)
Boundary Wire	130m(426ft)
Nail For Boundary Wire	200+6pcs
Quantity Per Carton	1pc
Net Weight	9.5kg
Packing Size	69x53x30cm(27.2"x20.8"x11.8")
Pcs/Container (20'/40'/40'HQ)	251pcs/524pcs/615pcs



FINE FOX - X9

Height Adjustable
25-60mm

Rain Sensor

Waterproof
IPX5

Full Control Via APP
Anywhere, Anytime

Max Slope
47%(25°)

Automatic
Obstacle Avoidance

Multi-Zone
Management

Low Noise

Automatic Obstacle Avoidance

750m²
Cutting Capacity



NEW

**ROBOTIC LAWN MOWER
SF8B168**

Cutting Capacity	750m ² (1/5 Acre)
Rated Voltage	20V
Battery Capacity	4.0 Ah
No-load Speed	3100r/min
Cutting Width	200mm
Cutting Height	25mm - 60mm(1"-2.4" 8 Steps)
Wheel Diameter	Rear 200mm, Front 80mm
Mowing Time Per Charge	(Rear 8", Front 3")
Charging Time	1.6h
Working Time	90min
Max Slope	47%(25°)
Boundary Wire	150m
Nail For Boundary Wire	200+6pcs
Quantity Per Carton	1pc
Net Weight	8.8kg(19.4 lb)
Packing Size	66x51x28cm(26"x20.1"x11")
Pcs/Container (20'/40'/40'HQ)	295pcs/615pcs/720pcs



RATED VOLTAGE:
20V
CURRENT:
2.5A
CABLE LENGTH:
3M

CHARGER



FINE FOX - X 15



Lift, tilt and overturn sensors
When lifted, tilted, overturned, Robotic Lawn mower will get effective safety protection.



600 m²
Cutting Capacity

NEW

ROBOTIC LAWN MOWER
SF8B117

Cutting Capacity	600m ² (1/7 Acre)
Rated Voltage	20V
Battery Capacity	2.0 Ah
No-load Speed	3100r/min
Cutting Width	160mm(6.3")
Cutting Height	25mm - 45mm (1"-1.77")(3 Steps)
Wheel Diameter	Rear 192mm, Front 80mm (Rear 7.5", Front 3")
Charging Time	2h
Mowing Time Per Charge	60min
Max Slope	27%(15°)
Boundary Wire	100m(328ft)
Nail For Boundary Wire	100+6pcs
Quantity Per Carton	1pc
Net Weight	6.5kg
Packing Size	58x48.5x26cm(22.8"x19.1"x10")
Pcs/Container (20'/40'/40'HQ)	382pcs/793pcs/929pcs



FINE FOX - X7



500 m²
Cutting Capacity

ROBATIC LAWN MOWER
SF8B107

Cutting Capacity	500m ² (1/8 Acre)
Rated Voltage	20V
Battery Capacity	2.0 Ah
No-load Speed	3100r/min
Cutting Width	160mm(6.3")
Cutting Height	25mm - 45mm (1"-1.77")(3 Steps)
Wheel Diameter	Rear 192mm, Front 80mm (Rear 7.5", Front 3")
Charging Time	2h
Mowing Time Per Charge	45min
Max Slope	27%(15°)
Boundary Wire	100m(328ft)
Nail For Boundary Wire	100+6pcs
Quantity Per Carton	1pc
Net Weight	6.5kg
Packing Size	58x48.5x26cm(22.8"x19.1"x10")
Pcs/Container (20'/40'/40'HQ)	382pcs/793pcs/929pcs





160MM



100M
BOUNDARY WIRE



100+6
PCS
NAIL FOR BOUNDARY WIRE



Up to
500m²
1/8 Acre





Bluetooth



BRUSHLESS MOTOR

RATED VOLTAGE:
20V

CURRENT:
1.0A

CABLE LENGTH:
3M





ADAPT TO ALL SAFUN ROBOT MOWERS



SAFUN[®] Lithium series



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com

SAFUN

Lithium series

60V^{MAX}



CE



Battery pull out button
Tool free

**LITHIUM CHAIN SAW
SF8J109**

Rated Voltage 80V
Battery Capacity 2.5/4.0Ah
No-load Speed 7500r/min
Bar Length 18"
Double Safety Brake Yes
Auto Lubricate Yes
Chain Speed 14m/s
Max Cutting Length 450mm(18")
Quantity Per Carton 1pc
Packing Size 50x27x25cm(19.2"x10.6"x9.8")
Pcs/Container 830pcs/1700pcs/2045pcs
(20'40'/40'HQ)



CE



Speed regulator
Angles adjustment button

**LITHIUM HEDGE TRIMMER
SF8A603**

Rated Voltage 80V
Battery Capacity 2.5/4.0Ah
Max Cutting Diameter 19mm(3/4")
Blade Length 26"x28"
Cutting Length 24"x26"(610/660mm)
No-Load Speed 1500/1700spm
Working Time 1h
Double Safety Brake Yes
Quantity Per Carton 1pc
N.W./G.W. 4.4/5kg(9.7/11 lb)
Packing Size 123x23x25cm(48.4"x9.1"x9.8")
Pcs/Container 390pcs/820pcs/960pcs
(20'40'/40'HQ)



CE



Turbo button

**LITHIUM BLOWER
SF8A507**

Rated Voltage 80V
Battery Capacity 2.5/4.0Ah
No-load Speed 24000r/min
Max Air Speed 270km/h(168MPH)
Max Air Volume 1190m³/h(700CFM)
3 Speeds+Turbo
Quantity Per Carton 1pc
N.W./G.W. 2.6/4.1kg(5.7/9.0 lb)
Packing Size 55x19x36cm(21.7"x7.5"x14.2")
Pcs/Container 723pcs/1510pcs/1770pcs
(20'40'/40'HQ)



CE



**LITHIUM GRASS TRIMMER
SF8A209**

Rated Voltage 80V
Battery Capacity 2.5/4.0Ah
No-load Speed 6000r/min
Max Cutting Width 355/406mm(14"/16")
Nylon Line Φ 2.0mmx5m(Φ 0.079")
Quantity Per Carton 1pc
N.W./G.W. 4.2/5.7kg(9.2/12.5 lb)
Packing Size 117x28x22cm(46.1"x11"x8.7")
Pcs/Container 390pcs/820pcs/960pcs
(20'40'/40'HQ)



CE



Can work with single 80V battery

**LITHIUM LAWN MOWER
SF8A106**

Rated Voltage 80V
Battery Capacity 2.5/4.0Ahx2
No-load Speed 3000r/min
Deck Width 21"
Self Propelled Speed 0.8-1.2m/s
Grass Bag Capacity 60L
Cutting Height 6 Settings(30-90mm)
Cutting Time Up to 40 minutes
Mulching Function Yes
Quantity Per Carton 1pc
Packing Size 106x57.5x46cm(41.7"x22.6"x18.1")
Pcs/Container 100pcs/206pcs/240pcs
(20'40'/40'HQ)



LITHIUM CHAIN SAW



SF8J175D NEW

Rated Voltage	60V
Battery Capacity	4/5/8Ah
No-load Speed	10200-13800r/min
Bar Length	16/18"
Double Safety Brake	Yes
Auto Lubricate	Yes
Chain Speed	19/25m/s (30m/s upgrading)
Max Cutting Length	380/430mm
Quantity Per Carton	1pc
N.W./G.W.	4.17/4.65kg (9.19/10.25 lb)
Carton Size	50.5x25x27cm(19.8"x9.8"x10.6")
Pcs/Container	795pcs/1675pcs/1970pcs (20'/40'/40'HQ)



SF8J175



LITHIUM BLOWER



SF8A527 NEW

Rated Voltage	60V
Battery Capacity	4/5/8Ah
No-load Speed	25000r/min
Max Air Speed	260km/h (160MPH)
Max Air Volume	1200m ³ /h(700CFM)
Quantity Per Carton	1pc
N.W./G.W.	2.51/3.1kg (5.5/6.83 lb)
Packing Size	53.5x31x31cm(21"x12.2"x12.2")
Pcs/Container	530pcs/1110pcs/1310pcs (20'/40'/40'HQ)



Optional



BATTERY SHARE

SAFUN

60V MAX

 contact@ziasourcing.com

 +8619700338590

 www.ziasourcing.com

LITHIUM HEDGE TRIMMER



Multiple Control Display Unit

Dual-Action Cutting Blade

Ergonomic Handle


30mm Cut Capacity

Powerful Brushless Motor

5-Position Rotating Handle

SF8A615 NEW

Rated Voltage	60V
Battery Capacity	4/5/8Ah
No-load Speed	1300/1600rpm
Max Cutting Diameter	30mm (1.18")
Blade Length	24"/26"
Cutting Length	22"/24"
Quantity Per Carton	1pc
N.W./G.W.	3.75/4.6kg(8.27/10.14lb)
Packing Size	122x22.5x21.5cm(48"x8.9"x8.5")
Pcs/Container	460pcs/970pcs/1140pcs (20'/40'/40'HQ)




LITHIUM MULTI FUNCTION MACHINE



SF8A241-5 NEW

Rated Voltage	60V
Battery Capacity	4/5/8Ah
Pruner	
No-load Speed	4500/6000rpm
Chain Speed	8.4/11.2m/s
Working Angles	5 Steps, 0°~+90°
Cutting Length	180mm (6")
Grass Trimmer	
No-load Speed	4500/6000rpm
Max Cutting Width	420mm (16.5")
Grass Line	Φ2.4mmx5m
Blade	3T*255mm(3T*10")
Pole Hedge Trimmer	
No-load Speed	1000/1300rpm
Max Cutting Length	400mm(16")
Max Cutting Diameter	22mm(0.9")
Working Angles	7 Steps, -45°~+90°
Quantity Per Carton	1pc
N.W./G.W.	9.6/10.6kg(21.16/23.37lb)
Packing Size	112x26x17cm (44.1"x10.23"x6.7")
Pcs/Container	550pcs/1155cs/1360pcs (20'/40'/40'HQ)



contact@ziasourcing.com



+8619700338590




www.ziasourcing.com

LITHIUM BRUSH CUTTER



SF8A239-1 NEW

Rated Voltage	60V
Battery Capacity	4/5/8Ah
No-load Speed	5000/6000rpm
Max Cutting Width	38/42cm(1.49'/1.65")
Grass Line	Φ2.4mm x5mm
Quantity Per Carton	1pc
N.W./G.W.	3.8/4.3kg (8.36/9.24 lb)
Packing Size	94x29x13cm(37"x11.4"x5.12")
Pcs/Container	770pcs/1610pcs/1900pcs
	(20'/40'/40'HQ)





LITHIUM BRUSH CUTTER



SF8A239-2 NEW

Rated Voltage	60V
Battery Capacity	4/5/8Ah
No-load Speed	5000/6000rpm
Max Cutting Width	38/42cm(1.49'/1.65")
Grass Line	Φ2.4mm x5mm
Quantity Per Carton	1pc
N.W./G.W.	3.85/4.35kg (8.47/9.57 lb)
Packing Size	94x29x13cm(37"x11"x5")
Pcs/Container	770pcs/1610pcs/1900pcs
	(20'/40'/40'HQ)



BATTERY SHARE

60V MAX



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com

LITHIUM BRUSH CUTTER



SF8A241-1 NEW

Rated Voltage	60V
Battery Capacity	4/5/8Ah
No-load Speed	4500/6000rpm
Max Cutting Width	380/420mm(14.9"/16.5")
Grass Line	Φ2.4mm x5m
Quantity Per Carton	1pc
N.W./G.W.	4/4.5kg(8.8/9.9lb)
Packing Size	112x26x17cm(44.1"x10.2"x6.7")
Pcs/Container	560pcs/1160pcs/1360pcs
	(20'/40'/40'HQ)



LITHIUM BRUSH CUTTER



SF8A241-2 NEW

Rated Voltage	60V
Battery Capacity	4/5/8Ah
No-load Speed	4500/6000rpm
Max Cutting Width	380/420mm(14.9"/16.5")
Grass Line	Φ2.4mm x5m
Quantity Per Carton	1pc
N.W./G.W.	5/5.5kg(11/12.1lb)
Packing Size	112x26x17cm(44.1"x10.2"x6.7")
Pcs/Container	560pcs/1160pcs/1360pcs
	(20'/40'/40'HQ)



BATTERY SHARE

29

60V MAX

30



contact@ziasourcing.com




+8619700338590



www.ziasourcing.com

LITHIUM POLE SAW




SF8A241-3 NEW

Rated Voltage	60V
Battery Capacity	4/5/8Ah
No-load Speed	4500/6000rpm
Chain Speed	8.4/11.2m/s
Working Angles	5 Steps, 0°~+90°
Cutting Length	8"
Oil Tank Volume	120ml
Quantity Per Carton	1pc
N.W./G.W.	4.74/5.3kg(10.45/11.66 lb)
Packing Size	92.5x18.5x18.5cm(27.75"x5.55"x5.55")
Pcs/Container (20'/40'/40'HQ)	860pcs/1780pcs/2098pcs



LITHIUM HEDGE TRIMMER



SF8A241-4 NEW

Rated Voltage	60V
Battery Capacity	4/5/8Ah
No-load Speed	1000/1300rpm
Max Cutting Length	420mm(16")
Max Cutting Diameter	22mm
Working Angles	7 Steps, -45°~+90°
Quantity Per Carton	1pc
N.W./G.W.	5.3/5.8kg(11.68/12.76 lb)
Packing Size	101.5x18.5x18.5cm (30.45"x5.55"x5.55")
Pcs/Container (20'/40'/40'HQ)	780pcs/640pcs/1935pcs



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com

METAL DECK LITHIUM LAWN MOWER



SF8A135 NEW

Rated Voltage	60V
Battery Capacity	4/5/8Ah
No-load Speed	2700-3000r/min
Deck Width	533mm(21")
Cutting Height	7 Levels (30-100mm)(1.2"-4")
Front/Rear Wheel	8"/11"
Grass Box Volume	65L
Mulching Function	Yes
Quantity Per Carton	1pc
N.W/G.W.	29/31kg(63.9/68.3lb)
Packing Size	112x61.2x48cm(44.09"x24.09"x18.9")
Pcs/Container	85pcs/175pcs/205pcs
(20"/40"/40"HQ)	



METAL DECK LITHIUM LAWN MOWER



SF8A133 NEW

Rated Voltage	60V
Battery Capacity	4/5/8Ah
No-load Speed	2700-3000r/min
Deck Width	470mm(21")
Cutting Height	7 Levels (30-75mm)(1.2"-3")
Front/Rear Wheel	8"/11"
Grass Box Volume	65L
Mulching Function	Yes
Quantity Per Carton	1pc
N.W/G.W.	25.5/27.5kg(56.2/60.6lb)
Packing Size	109x56x47cm(34.2"x23.2"x19.63")
Pcs/Container	95pcs/198pcs/233pcs
(20"/40"/40"HQ)	



BATTERY SHARE

60V MAX



contact@ziasourcing.com



+8619700338590




www.ziasourcing.com

LITHIUM SCARIFIER



SF8G608-2 **NEW**

Rated Voltage	60V
Battery Capacity	4/5/8Ah
No-load Speed	2700/3200r/min
Max Cutting Width	360mm(14")
Scarifier Blade	16pcs
Dethatcher Claw Spring	24pcs
Front / Rear Wheel Size	8" 6"
Grass Bag Capacity	45L
Cutting Height	5 Levels
Scarifier Height	-12/-9/-6/-3/6 mm
Dethatcher Height	-2/1/4/7/16 mm
Handle Angle	3 Levels
Quantity Per Carton	1pc
Packing Size	59x46x38cm(23"x18"x14")
Pcs/Container	271pcs/462pcs/659pcs (20'/40'/40'HQ)



LITHIUM TILLER



SF8G609-3 **NEW**

Rated Voltage	60V
Battery Capacity	4/5/8Ah
Rated Power	600W
No-load Speed	100-250r/min
Tilling Width	300/450mm(12"/18")
Max Tilling Depth	250mm(10")
Quantity Per Carton	1pc
Packing Size	64x50x55cm (25"x20"x21")
Pcs/Container	159pcs/328pcs/386pcs (20'/40'/40'HQ)



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com

LITHIUM WOOD SHREDDER



230 N.m MAX TORQUE
94 dB(A) Guaranteed Lw

SF8G401-2 NEW

Safety Stand



Rated Voltage	60V
Battery Capacity	4/5/8Ah
No-load Speed	44r/min
Shredding Diameter	40mm
Cutting System	Roller
Reduction Ratio	21:1
Max Torque	230N.m
Sound Level	94dB(A)
Collection Bin	45L
Net Weight	24kg(53 lb)
Packing Size	60x40x55cm (23.6"x15.7"x21.65")
Pcs/Container	212pcs/439pcs/515pcs
	(20'/40'/40'HQ)

60V^{MAX}

BATTERY SHARE



SF8M191 NEW

Rated Voltage	60V
Battery Cells	21700
Battery Capacity	4.0/5.0Ah
N.W./G.W	1.5/1.6kg(3.3/3.53 lb)
Carton Size	18.2x11.3x9.7cm (7.16"x4.4"x3.8")



SF8M192 NEW

Rated Voltage	60V
Battery Cells	21700
Battery Capacity	8.0Ah
N.W./G.W	2.8/2.9kg(6.16/6.39 lb)
Carton Size	18.2x15.2x12cm (7.16"x5.98"x4.7")



SF8M253 NEW

Rated Voltage	60V
Current	4.0A
Cable Length	1.5M(59.1")
N.W./G.W	1/1.2kg(2.2/2.64 lb)
Carton Size	26.2x17x12.2cm (10.3"x6.7"x4.8")

60V^{MAX}



BATTERY SHARE



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com

SAFUN

Lithium series



LITHIUM CHAIN SAW SF8J126-B

Rated Voltage	48V
Battery Capacity	6Ah/12Ah/20Ah
No-Load Chain Speed	3000r/min
Bar Length	8"/10"/12"
Chain Speed	5.6m/s
Chain Tension	Tool Free
Max Cutting Length	285mm
Quantity Per Carton	1pc
Packing Size	43x23x24cm(17"x9"x9.5")
Pcs/Container	2000pcs/2500pcs/2934pcs
(20'/40'/40'HQ)	



LITHIUM CHAIN SAW SF8J113-B

Rated Voltage	48V
Battery Capacity	6Ah/12Ah/20Ah
No-Load Chain Speed	3000r/min
Bar Length	8"/10"/12"
Double Safety Brake	Yes
Auto Lubricate	Yes
Chain Speed	5.6m/s
Chain Tension	Tool Free
Max Cutting Length	285mm
Quantity Per Carton	1pc
Packing Size	45.5x22.5x23cm(18"x8.9"x9.1")
Pcs/Container	2000pcs/2500pcs/2934pcs
(20'/40'/40'HQ)	



LITHIUM CHAIN SAW SF8J112-A

Rated Voltage	48V
Battery Capacity	6Ah/12Ah/20Ah
No-Load Chain Speed	3000r/min
Bar Length	12"/14"
Auto Lubricate	Yes
Chain Speed	15m/s
Max Cutting Length	325mm
Quantity Per Carton	1pc
Packing Size	30x26x23cm(11.8"x10.3"x9.1")
Pcs/Container	1527pcs/3194pcs/3750pcs
(20'/40'/40'HQ)	



LITHIUM BLOWER SF8A511-C

Rated Voltage	48V
Battery Capacity	6Ah/12Ah/20Ah
No-Load Speed	15000r/min/23000r/min
Max Air Speed	216km/h(134MPH)
Max Air Volume	855m ³ /h(500CFM)
Quantity Per Carton	1pc
N.W/G.W	2.1/2.3kg(4.6/5 lb)
Packing Size	52x18x28cm(20.5"x7.1"x11")
Pcs/Container	1057pcs/2211pcs/2600pcs
(20'/40'/40'HQ)	





LITHIUM LAWN MOWER
SF8A128-C

Rated Voltage 48V
 Battery Capacity 12Ah/20Ah
 No-Load Speed 3800r/min
 Deck Width 500mm(20")
 Cutting Height 7 Levels
 (30-75mm)(1.2"-3")
 Front/Rear Wheel 8"/11"
 Grass Box Volume 65L
 Mulching Function yes
 Quantity Per Carton 1pc
 Packing Size 87x59x50cm
 (34.2"x23.2"x19.68")
 Pcs/Container 118pcs/231pcs/282pcs



LITHIUM HEDGE TRIMMER
SF8A608D

Rated Voltage 48V
 Battery Capacity 6Ah/12Ah/20Ah
 Max Cutting Diameter 25mm(1")
 Blade Length 23"
 Cutting Length 21"
 Adjustable Rear Handle 5 Settings
 No-Load Speed 1600spm
 Working Time 3/6/10h
 Quantity Per Carton 1pc
 N.W./G.W. 2.8/3.0kg(6.2/6.6 lb)
 Packing Size 117.5x18.5x15.5cm(46.3"x7.5"x6.1")
 Pcs/Container 816pcs/1706pcs/2000pcs



LITHIUM BLOWER
SF8A522-C

Rated Voltage 48V
 Battery Capacity 12Ah/20Ah
 Max Air Speed 252km/h(156MPH)
 Max Air Volume 1100m³/h(650CFM)
 Quantity Per Carton 1pc
 Net Weight 7.5kg
 Packing Size 51x34x45cm(20"x13.3"x17.7")
 Pcs/Container 350pcsx735pcsx865pcs



FEATURES

- BLOWER TUBE ANGLE ADJUSTMENT 145°
- TELESCOPIC BLOWER TUBE, EXTENSION: 100mm
- BATTERY CAPACITY INDICATOR
- 5 SPEEDS ADJUSTMENT



LITHIUM HEDGE TRIMMER
SF8A608S

Rated Voltage 48V
 Battery Capacity 6Ah/12Ah/20Ah
 Max Cutting Diameter 25mm(1")
 Blade Length 22"/24"/26"
 Cutting Length 20"/22"/24"
 Adjustable Rear Handle 5 Settings
 No-Load Speed 1600spm
 Working Time 3/6/10h
 Quantity Per Carton 1pc
 N.W./G.W. 2.7/2.9kg(6/6.6 lb)
 Packing Size 102.5x20.5x23cm(40.4"x8.1"x9.1")
 Pcs/Container 570pcs/1190pcs/1400pcs



AUTOMATIC STOP WHEN NO WATER

LITHIUM WATER PUMP
SF-B200-2

Rated Voltage 48V
 Battery Capacity 12Ah/20Ah
 Max Spray Range 25m
 Max Flow Rate 9 m³/h
 Cable Length 7m
 Quantity Per Carton 4pcs
 N.W./G.W. 8/9kg (17.6/19.8 lb)
 Packing Size 47x36x30cm(18.5"x14.1"x30")
 Pcs/Container 551pcsx1143pcsx1339pcs



LITHIUM BLOWER
SF8A516-C

Rated Voltage 48V
 Battery Capacity 6Ah/12Ah/20Ah
 No-Load Speed 15000/23000r/min
 Max Air Speed 252km/h(156MPH)
 Max Air Volume 1050m³/h(620CFM)
 Quantity Per Carton 1pc
 Net Weight 2.9kg(6.4 lb)
 Packing Size 53.5x31x31cm (21"x12.2"x12.2")
 Pcs/Container 550pcs/1150pcs/1350pcs



LITHIUM MULTI FUNCTION MACHINE
SF8A207-A

Rated Voltage 48V
 Battery Capacity 12Ah
Grass Trimmer
 No-load Speed 7000r/min
 Cutting Diameter 300mm(12")
 Grass Line Φ2.0mmx5.3m(Φ0.08")
Brush Cutter
 No-load Speed 7000r/min
 Blade 3T*255mm(3T*10")
Pole Hedge Trimmer
 No-load Speed 1200spm
 Blade Length 400mm(16")Laser Blade
 Working Angles 7 Steps, -45°~+90°
Pruner
 No-load Speed 4500r/min
 Chain Speed 7m/s
 Working Angles 5 Steps, 0°~+90°
 Cutting Length 200mm(8")
 Packing Size 104x26x17cm(40.9"x10.2"x6.7")
 Pcs/Container 600pcs/1250pcs/1468pcs





FEATURES

- SPLIT SHAFT
- 2 IN 1 FUNCTION
- LIGHT WEIGHT, CONVENIENT TO OPERATE
- TOOL FREE SPOOL LINE REPLACEMENT
- WITH ASSISTANT HANDLE AND BELT
- BACKPACK BATTERY, LONG RUNNING TIME

LITHIUM GRASS TRIMMER SF8A226

Rated Voltage 48V
 Battery Capacity 6Ah/12Ah/20Ah
 Working Time Up to 60 min (6Ah)
 Max Input Power 16A
 Max Cutting Width 350mm(14")
 No-Load Speed 6500r/min
 Soft Start Yes
 Nylon Line $\Phi 2.0\text{mm} \times 5.3\text{m}(\Phi 0.08")$
 Quantity Per Carton 1pc
 Net Weight 3.5kg(7.7 lb)
 Packing Size 180x19.5x12cm(70.9"x7.7"x4.8")
 Pcs/Container 652pcs/1365pcs/1602pcs



ALUMINIUM



LITHIUM GRASS TRIMMER SF8A230

Rated Voltage 48V
 Battery Capacity 6Ah/12Ah/20Ah
 Working Time Up to 60 min (6Ah)
 Max Input Power 12A
 Max Cutting Width 380mm(14")
 No-Load Speed 6500r/min
 Soft Start Yes
 Nylon Line $\Phi 2.0\text{mm} \times 5.3\text{m}(\Phi 0.08")$
 Quantity Per Carton 1pc
 Net Weight 3.5kg(7.7 lb)
 Packing Size 180x19.5x12cm(70.9"x7.7"x4.8")
 Pcs/Container 652pcs/1365pcs/1602pcs



LITHIUM GRASS TRIMMER SF8A225

Rated Voltage 48V
 Battery Capacity 6Ah/12Ah/20Ah
 Working Time Up to 60 min (6Ah)
 Max Input Power 16A
 Max Cutting Width 300mm(12")
 No-Load Speed 6500r/min
 Soft Start Yes
 Nylon Line $\Phi 2.0\text{mm} \times 5.3\text{m}(\Phi 0.08")$
 Quantity Per Carton 1pc
 Net Weight 3.5kg(7.7 lb)
 Packing Size 96x24x18cm(37.8"x9.5"x7.1")
 Pcs/Container 663pcs/1386pcs/1627pcs



FEATURES

- SPLIT SHAFT
- 2 IN 1 FUNCTION
- LIGHT WEIGHT, CONVENIENT TO OPERATE
- TOOL FREE SPOOL LINE REPLACEMENT
- WITH ASSISTANT HANDLE AND BELT
- BACKPACK BATTERY, LONG RUNNING TIME

INSULATION
(20KV ULTRAHIGH
PRESSURE RESISTANCE).
THE CROSS SECTION IS
STABLE TRIANGLE.



ULTRAHIGH PRESSURE RESISTANCE LITHIUM POLE SAW SF8J319-1

Rated Voltage 48V
 Battery Capacity 6Ah/12Ah/20Ah
 Working Time 90-120 min (12Ah)
 No-Load Speed 2000r/min
 Max Cutting Length 190mm(18")
 Quantity Per Carton 1pc
 Net Weight 8.5kg(18.7 lb)
 Packing Size 140x21x13cm
 (55"x8.3"x5.1") (Cloth bag)
 Pcs/Container 720pcs/1500pcs/1766pcs



FEATURES

- ULTRAHIGH RESISTANCE
- UP TO 5.5M USABLE LENGTH
- UP TO 90MIN WORKING TIME
- FAST ASSEMBLY
- VARIOUS WORKING ANGLES ADJUSTMENT

SAFUN

Lithium series



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com



LITHIUM CHAIN SAW
SF8J176 NEW

Rated Voltage 40V
Battery Capacity 8Ah
No-load Speed 9000/11000/13800r/min
Rated Power 3000W
Chain Speed 20/25/30m/s
Bar Length 16"18"/20"
Max Cutting Length 395/445/495mm
Net Weight 7.5kg(16 lb)
Packing Size 49x25.5x24.5cm
(19"x10"x9")
Pcs/Container 914pcs/1894pcs/2221pcs



LITHIUM CHAIN SAW
SF8J132

Rated Voltage 40V
Battery Capacity 4.0/5.0Ah
Max Speed 4800r/min
Bar Length 16"
Auto Lubricate Yes
Chain Speed 9m/s
Max Cutting Length 395mm(15.6")
Quantity Per Carton 1pc
N.W./G.W. 6.5/7.5kg(14.3/16.5 lb)
Packing Size 49x24.5x25.5cm(19.3"x9.64"x10")
Pcs/Container 905pcs/1870pcs/2200pcs



LITHIUM CHAIN SAW
SF8J112

Rated Voltage 40V
Battery Capacity 4.0/5.0Ah
No-load Speed 8000r/min
Bar Length 12"
Auto Lubricate Yes
Chain Speed 15m/s
Max Cutting Length 275mm(10.8")
Quantity Per Carton 1pc
N.W./G.W. 2.7/3.65kg(5.94/8.03 lb)
Packing Size 41.5x22x24.5cm(16.3"x8.7"x9.7")
Pcs/Container 1227pcs/2566pcs/3013pcs



LITHIUM SNOW BLOWER
SF8L504-1 NEW

Rated Voltage 40V
Battery Capacity 4.0/5.0Ah
No-load Speed 1800-2200r/min
Clearing Width 400mm(16")
Throw Distance 6m
Intake Height 200mm(8")
Louver Adjustment ±30°
N.W./G.W. 6.45/7.85kg(14.19/17.27 lb)
Quantity Per Carton 1pc
Packing Size 57x31.5x30cm(22.5"x12.5"x11.8")
Pcs/Container 370pcs/775pcs/910pcs



LITHIUM LAWN MOWER
SF8A110-J

Rated Voltage 40V
Battery Capacity 4.0/5.0Ah
No-load Speed 3300r/min
Max Cutting Length 370mm(15")
Cutting Height 6 Levels
(25-75mm)(1"-3")
Front/Rear Wheel 6"/8"
Grass Box Volume 35L
Power Indicator Optional
Mulching Function Yes
Quantity Per Carton 1pc
N.W./G.W. 11.3/13.25kg(24.86/29.15 lb)
Packing Size 12.46/14.92kg(27.8"/17"x15")
Pcs/Container 235pcs/482pcs/580pcs



LITHIUM LAWN MOWER
SF8A107-J

Rated Voltage 40V
Battery Capacity 4.0/5.0Ah
No-load Speed 3300r/min
Max Cutting Length 430mm(17")
Cutting Height 6 Settings
(25-75mm)(1"-3")
Front wheel 7"
Rear wheel 10"
Grass Box Volume 50L
Mulching Function Yes
Quantity Per Carton 1pc
N.W./G.W. 12.46/14.92kg(27.4/32.82 lb)
Packing Size 80.4x48.4x40cm(31.7"x19"x15.7")
Pcs/Container 178pcs/370pcs/433pcs



LITHIUM LAWN MOWER SF8A128-2
40Vx2
2 Batteries
3300r/min
470mm(21")
7 Levels
(30-75mm)(1.2"-3")
8711"
65L
Yes
1pc
109.1x55.6x46.8cm
(42.9"x21.9"x18.4")
97pcs/203pcs/238pcs

LITHIUM LAWN MOWER SF8A129-2
40Vx2
2 Batteries
3300r/min
533mm(23")
7 Levels
(30-100mm)(1.2"-4")
8711"
65L
Yes
1pc
112x61.2x45cm
(44"x24"x18.9")
84pcs/175pcs/205pcs



- FEATURES**
- BRUSHLESS MOTOR PROVIDES BIGGER TORQUE, LONGER LIFE AND LOW NOISE
 - DOUBLE BEARING WHEELS FOR STABLE PERFORMANCE
 - DURABLE STEEL DECK
 - 3-IN-1 DESIGN: MULCHING, REAR BAG AND SIDE DISCHARGE
 - 6 SPEEDS FOR ADJUSTMENT
 - 3 WORKING MODE
 - FLEXIBLE HANDLE



LITHIUM LAWN MOWER SF8A128-3
40Vx2
2 Batteries
3300r/min
470mm(21")
7 Levels
(30-75mm)(1.2"-3")
8711"
65L
Yes
1pc
109.1x55.6x46.8cm
(42.9"x21.9"x18.4")
97pcs/203pcs/238pcs

LITHIUM LAWN MOWER SF8A129-3
40Vx2
2 Batteries
3300r/min
533mm(23")
7 Levels
(30-100mm)(1.2"-4")
8711"
65L
Yes
1pc
112x61.2x46cm
(44"x24"x18.9")
84pcs/175pcs/205pcs



- FEATURES**
- BRUSHLESS MOTOR PROVIDES BIGGER TORQUE, LONGER LIFE AND LOW NOISE
 - DOUBLE BEARING WHEELS FOR STABLE PERFORMANCE
 - DURABLE STEEL DECK
 - 3-IN-1 DESIGN: MULCHING, REAR BAG AND SIDE DISCHARGE
 - 6 SPEEDS FOR ADJUSTMENT
 - 470MM(21")



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com



TWO FUNCTIONS



SCARIFIER



DETHATCHER



LITHIUM SCARIFIER
SF8G608-1 **NEW**



Rated Voltage 40V
Battery Capacity 4.0/5.0Ah
No-load Speed 2700/3200r/min
Max Cutting Width 360mm(14")
Scarifier Blade 16pcs
Dethatcher Claw Spring 24pcs
Front / Rear Wheel Size 8" / 6"
Grass Bag Capacity 45L
Cutting Height 5 Levels
Scarifier Height -12/9/-6/-3/6 mm
Dethatcher Height -2/1/4/7/16 mm
Handle Angle 3 Levels
Quantity Per Carton 1pc
Packing Size 59x46x38cm (23"x18"x14")
Pcs/Container 267pcs/558pcs/655pcs
Pcs/Container (20'/40'/40'HQ)



4 BLADES



6 BLADES



LITHIUM TILLER
SF8G609-2 **NEW**



Rated Voltage 40V
Battery Capacity 4.0/5.0Ah
No-load Speed 100-230r/min
Tilling Width 300/450mm(12"/18")
Max Tilling Depth 250mm(10")
Quantity Per Carton 1pc
Packing Size 64x50x55cm (25"x20"x21")
Pcs/Container 179pcs/375pcs/440pcs
Pcs/Container (20'/40'/40'HQ)

230 N.m
MAX TORQUE

94 dB(A)
Guaranteed Low



QUICK FOLD



LITHIUM WOOD SHREDDER
SF8G401-1 **NEW**



Rated Voltage 40V
Battery Capacity 4.0/5.0Ah
No-load Speed 44r/min
Shredding Diameter 40mm
Cutting System Roller
Reduction Ratio 21:1
Max Torque 230N.m
Sound Level 94dB(A)
Collection Bin 45L
Net Weight 24kg(53 lb)
Packing Size 80x40x55cm (23.6"x15.7"x21.65")
Pcs/Container 212pcs/439pcs/515pcs
Pcs/Container (20'/40'/40'HQ)



LITHIUM BLOWER
SF8A511-D



Rated Voltage 40V
Battery Capacity 4.0/5.0Ah
Speed 4 Speed+Turbo
No-load Speed 23000r/min
Max Air Speed 200km/h (125MPH)
Max Air Volume 820m³/h (480CFM)
Quantity Per Carton 1pc
N.W./G.W. 2.2/4kg(4.8/8.8 lb)
Packing Size 53.5x17.5x27.5cm(21.1"x6.9"x10.8")
Pcs/Container 1080pcs/2330pcs/2640pcs
Pcs/Container (20'/40'/40'HQ)



LITHIUM BLOWER
SF8A516-F



Rated Voltage 40V
Battery Capacity 9000-23000r/min
No-load Speed 240km/h (150MPH)
Max Air Volume 1020m³/h (600CFM)
N.W./G.W. 3.25/4.25kg(7.15/9.35 lb)
Quantity Per Carton 1pc
Packing size 53.5x31x31cm(21.06"x12.2"x12.2")
Pcs/Container 530pcs/1110pcs/1300pcs
Pcs/Container (20'/40'/40'HQ)

FEATURES

- LOW VIBRATION
- DOUBLE HOOK STRAP, GOOD BALANCE
- LOW NOISE, HIGH AIR SPEED, BIG AIR VOLUME
- OPTIONAL VARIOUS AIR TUBE



LITHIUM BLOWER
SF8A522-B



Rated Voltage 40V
Battery Capacity 4.0/5.0Ah
Speed 4 Speed+Turbo
Max Air Speed 252km/h(156MPH)
Max Air Volume 1100m³/h(650CFM)
Quantity Per Carton 1pc
N.W./G.W. 6/7kg(13.3/15.5 lb)
Packing Size 51x34x45cm(20.1"x14"x17.7")
Pcs/Container 352pcs/737pcs/865pcs
Pcs/Container (20'/40'/40'HQ)

FEATURES

- BLOWER TUBE ANGLE ADJUSTMENT ±45°
- TELESCOPIC BLOWER TUBE, EXTENSION: 100mm
- BATTERY CAPACITY INDICATOR
- 5 SPEEDS ADJUSTMENT



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com



LITHIUM BLOWER
SF8A520-B

Rated Voltage 40V
 Battery Capacity 4.0/5.0Ah
 Speed 4 Speed+Turbo
 Max Air Speed 260km/h(160MPH)
 Max Air Volume 1055m³/h(620CFM)
 Quantity Per Carton 1pc
 N.W./G.W. 2.3/3.55kg(5/7.81 lb)
 Packing Size 83x25.5x12cm(32.7"x10"x4.7")
 Pcs/Container 1100pcs/2300pcs/2700pcs



FEATURES

- TELESCOPIC SHAFT, EXTENSION LENGTH: 220mm
- BLOWER TUBE VARIOUS ANGLES, 0-60°, 4 POSITIONS
- BATTERY CAPACITY INDICATOR
- 5 SPEED ADJUSTMENT
- BRUSHLESS MOTOR, HIGH TORQUE, LONG LIFE, LOW NOISE
- UNIQUE DESIGN

LITHIUM HEDGE TRIMMER
SF8A613 NEW

Rated Voltage 40V
 Battery Capacity 4.0/5.0Ah
 No-load Speed 1550spm
 Blade Length 22"/24"/26"
 Cutting Length 20"/22"/24"
 Max Cutting Dia 28mm(1-1/8")
 Quantity Per Carton 1pc
 N.W./G.W. 3/3.5kg(6.6/7.7 lb)
 Packing Size 116x21.5x24cm(43.7"x8.5"x9.1")
 Pcs/Container 561pcs/1173pcs/1377pcs



SF8A232-1

LITHIUM BRUSH CUTTER
SF8A232-5 NEW

Rated Voltage 40V
 Battery Capacity 4.0/5.0Ah
 No-load Speed 5500-7500r/min
 Max Cutting Width 300mm(12")
 Quantity Per Color Box 1pc
 N.W./G.W. 4.5/5kg(9.9/11 lb)
 Packing Size 97x27x11cm(38.2"x10.6"x4.3")
 Pcs/Container 982pcs/2053pcs/2428pcs



SF8A232-2

LITHIUM BRUSH CUTTER
SF8A232-6 NEW

Rated Voltage 40V
 Battery Capacity 4.0/5.0Ah
 No-load Speed 5500-7500r/min
 Max Cutting Width 300mm(12")
 Quantity Per Color Box 1pc
 N.W./G.W. 4.5/5kg(9.9/11 lb)
 Packing Size 97x27x11cm(38.2"x10.6"x4.3")
 Pcs/Container 982pcs/2053pcs/2428pcs



SF8A232-5 ALUMINUM

LITHIUM BRUSH CUTTER
SF8A232-11 NEW

Rated Voltage 40V
 Battery Capacity 4.0/5.0Ah
 No-load Speed 5500-7500r/min
 Max Cutting Width 300mm(12")
 Quantity Per Color Box 1pc
 N.W./G.W. 4.5/5kg(9.9/11 lb)
 Packing Size 97x27x11cm(38.2"x10.6"x4.3")
 Pcs/Container 982pcs/2053pcs/2428pcs



SF8A232-6 ALUMINUM

LITHIUM BRUSH CUTTER
SF8A232-12 NEW

Rated Voltage 40V
 Battery Capacity 4.0/5.0Ah
 No-load Speed 5500-7500r/min
 Max Cutting Width 300mm(12")
 Quantity Per Color Box 1pc
 N.W./G.W. 4.5/5kg(9.9/11 lb)
 Packing Size 97x27x11cm(38.2"x10.6"x4.3")
 Pcs/Container 982pcs/2053pcs/2428pcs



SF8A232-6

LITHIUM MULTIFUNCTION MACHINE
SF8A231-2 NEW

Rated Voltage 40V
 Battery Capacity 4.0/5.0Ah
Grass Trimmer
 No-load Speed 7000r/min
 Cutting Diameter 300mm(12")
Brush Cutter
 No-load Speed 7000r/min
 Blade 3T*255mm(3T*10")
Pole Hedge Trimmer
 No-load Speed 1200spm
 Blade Length 400mm(16") Laser Blade
 Working Angles 7 Steps, -45°~+90°
Pruner
 No-load Speed 4500r/min
 Chain Speed 7m/s
 Working Angles 5 Steps, 0°~+90°
 Cutting Length 200mm(8")
 Packing Size 112x32x14cm(48"x12.6"x5.5")
 Pcs/Container 566pcs/1150pcs/1350pcs



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com

SAFUN

Lithium series

20V+20V BATTERY SHARE



Top speed
25m/s

Upgrading
30m/s



BRUSHLESS MOTOR



RUBBER HANDLE PROVIDES COMFORTABLE USING



SDS(TOOL FREE)

LITHIUM CHAIN SAW **SF8J173 NEW**



Rated Voltage	20V+20V
Battery Capacity	4.0-10.0Ah
No-load Speed	8100r/min
Max Speed	13500r/min
Auto Speed	Yes
Bar Length	14"116"
Auto Lubricate	Yes
Double Safety Brake	Yes
Chain Speed	15/25m/s (30m/s upgrading)
Chain Tension	Tool Free
Cutting Length	340/395mm
Quantity Per Carton	1pc
N.W./G.W.	4/5kg(8.8/11 lb)
Packing Size	48.5x25.5x24.5cm(18.9"x10"x9.6")
Pcs/Container	890pcs/1880pcs/2212pcs



LITHIUM CHAIN SAW	BRUSHLESS MOTOR SF8J120-A	BRUSH MOTOR SF8J120-C
Rated Voltage	20V+20V	20V+20V
Battery Capacity	4.0-10.0Ah	4.0-10.0Ah
Working Speed	3700r/min	3250r/min
Bar Length	10"112"	10"112"
Auto Lubricate	Yes	Yes
Double Safety Brake	Yes	Yes
Chain Speed	7m/s	6m/s
Chain Tension	Tool Free	Tool Free
Cutting Length	235/285mm	235/285mm
Quantity Per Carton	1pc	1pc
N.W./G.W.	5/6kg(11/13.2 lb)	4/5kg(8.8/11 lb)
Packing Size	40x25x26cm (15.7"x9.8"x10.2")	(18.1"x9.8"x10.2")
Pcs/Container	(20/40/40)HQ	903pcs/1906pcs/2240pcs



LITHIUM CHAIN SAW	BRUSHLESS MOTOR SF8J116
Rated Voltage	20V+20V
Battery Capacity	4.0-10.0Ah
Working Speed	8000r/min
Bar Length	14"116"
Auto Lubricate	Yes
Double Safety Brake	Yes
Chain Speed	15m/s
Chain Tension	Tool Free
Cutting Length	340/395mm
Quantity Per Carton	1pc
N.W./G.W.	4/7kg(8.8/15.4 lb)
Packing Size	45.5x22x25.5cm(18"x8.7"x10")
Pcs/Container	1057pcs/2220pcs/2610pcs





LITHIUM CHAIN SAW
SF8J113-A

Rated Voltage 20V+20V
 Battery Capacity 4.0-10.0Ah
 Working Speed 3000r/min
 Bar Length 10"7/12"
 Auto Lubricate Yes
 Double Safety Brake Yes
 Chain Speed 5.6m/s
 Chain Tension Tool Free
 Cutting Length 235/285mm
 Quantity Per Carton 1pc
 N.W./G.W. 3.4/4kg(7.48/8.8 lb)
 Packing Size 45.5x22.5x23 cm(18"x8.9"x9")
 Pcs/Container 1145pcs/2395pcs/2812pcs



LITHIUM BLOWER

Rated Voltage 20V+20V
 Battery Capacity 4.0-10.0Ah
 Speed 4 Speed+Turbo
 No-load Speed 23000r/min
 Max Air Speed 208km/h
 (130MPH)
 Max Air Volume 826m³/h
 (485CFM)

BRUSHLESS MOTOR SF8A511-A **BRUSHLESS MOTOR SF8A511-B**

Rated Voltage 20V+20V
 Battery Capacity 2.0-10.0Ah
 Speed 4 Speed+Turbo
 No-load Speed 19000r/min
 Max Air Speed 173km/h
 (107MPH)
 Max Air Volume 680m³/h
 (402CFM)

Quantity Per Color Box 1pc
 N.W./G.W. 3.5/4kg(7.7/8.8 lb)
 Packing Size 53.5x17.5x27.5cm(21.2"x6.9"x10.8")
 Pcs/Container 1048pcs/2210pcs/2600pcs



6 SPEED SETTINGS



LED LIGHT



±30°



WHEEL



LITHIUM SNOW BLOWER
SF8L504 NEW

Rated Voltage 20V+20V
 Battery Capacity 4.0-10.0Ah
 No-load Speed 1800-2200r/min
 Clearing Width 400mm(16")
 Throw Distance 6m
 Intake Height 200mm(8")
 Louver Adjustment ±30°
 Quantity Per Carton 1pc
 N.W./G.W. 6.7/7kg(13.2/15.4 lb)
 Packing Size 56x34x29cm(22"x13.39"x11.42")
 Pcs/Container 480pcs/1010pcs/1190pcs



LITHIUM BLOWER

Rated Voltage 20V+20V
 Battery Capacity 4.0-10.0Ah
 No-load Speed 9000-19000r/min
 Max Air Speed 198km/h
 (123MPH)
 Max Air Volume 876m³/h
 (515CFM)

BRUSH MOTOR SF8A519-A **BRUSHLESS MOTOR SF8A519-B**

Rated Voltage 20V+20V
 Battery Capacity 4.0-10.0Ah
 No-load Speed 9000-23000r/min
 Max Air Speed 240km/h
 (150MPH)
 Max Air Volume 1020m³/h
 (600CFM)

FEATURES

- LOW VIBRATION
- DOUBLE HOOK STRAP, GOOD BALANCE
- LOW NOISE, HIGH AIR SPEED, BIG AIR VOLUME

■ TOOL FREE AIR TUBE ASSEMBLY



LITHIUM BLOWER

Rated Voltage 20V+20V
 Battery Capacity 4.0-10.0Ah
 No-load Speed 9000-19000r/min
 Max Air Speed 198km/h
 (123MPH)
 Max Air Volume 876m³/h
 (515CFM)

BRUSH MOTOR SF8A516-A **BRUSHLESS MOTOR SF8A516-B**

Rated Voltage 20V+20V
 Battery Capacity 4.0-10.0Ah
 No-load Speed 9000-23000r/min
 Max Air Speed 240km/h
 (150MPH)
 Max Air Volume 1020m³/h
 (600CFM)

FEATURES

- LOW VIBRATION
- DOUBLE HOOK STRAP, GOOD BALANCE
- LOW NOISE, HIGH AIR SPEED, BIG AIR VOLUME

■ TOOL FREE AIR TUBE ASSEMBLY



LITHIUM BLOWER VACUUM
SF8A512

Rated Voltage 20V+20V
 Battery Capacity 4.0-10.0Ah
 Speed 4 Speed+Turbo
 No-load Speed 17000r/min
 Max Air Speed 288km/h(179MPH)
 Max Air Volume 650m³/h(385CFM)
 Bag Capacity 45L
 Mulching Ratio 12:1
 Quantity Per Color Box 1pc
 N.W./G.W. 4.5/5.5kg(9.9/12.1 lb)
 Packing Size 45.5x26x32.5cm(18.5"x10.2"x12.6")
 Pcs/Container 702pcs/1480pcs/1740pcs



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com



LITHIUM BLOWER
SF8A520 **NEW**

Rated Voltage 20V+20V
Battery Capacity 4.0-10.0Ah
Speed 4 Speed+Turbo
Max Air Speed 225km/h (140MPH)
Max Air Volume 1400m³/h (845CFM)
Quantity Per Carton 1pc
N.W./G.W. 3.5/4.5kg(7.7/9.8 lb)
Packing Size 96x24.5x13cm(37.8"x5.4"x8.9")
Pcs/Container 880pcs/1860pcs/2190pcs



- FEATURES**
- TELESCOPIC SHAFT, EXTENSION LENGTH: 220MM
 - BLOWER TUBE VARIOUS ANGLES, 0-60°, 4 POSITIONS
 - BATTERY CAPACITY INDICATOR
 - SPEED ADJUSTMENT
 - BRUSHLESS MOTOR, HIGH TORQUE, LONG LIFE, LOW NOISE
 - UNIQUE DESIGN



LITHIUM HEDGE TRIMMER
SF8A613-1

Rated Voltage 20V+20V
Battery Capacity 2.0-10.0Ah
No-load Speed 1550spm
Blade Length 22"/24"/26"
Cutting Length 20"/22"/24"
Working Angles 5 Steps, -90°~+90°
Max Cutting Dia 28mm(1-1/8")
Quantity Per Carton 1pc
N.W./G.W. 3.5/4.5kg(7.7/9.9 lb)
Packing Size 116x21.5x24cm(48.33"x8.46"x9.45")
Pcs/Container 465pcs/965pcs/1130pcs



ALUMINUM ALLOY

LITHIUM BRUSH CUTTER
SF8A251 **NEW**

Rated Voltage 20V+20V
Battery Capacity 4.0-10.0Ah
No-load Speed 5000/6000r/min
Max Cutting Width 430mm
Quantity Per Color Box 1pc
N.W./G.W. 7.8kg(15.4/17.6 lb)
Packing Size 105x32x14cm(41.3"x12.6"x5.5")
Pcs/Container 595pcs/1233pcs/1446pcs



SF8A228-2

LITHIUM BRUSH CUTTER
SF8A228-3 **NEW**

Rated Voltage 20V+20V
Battery Capacity 4.0-10.0Ah
No-load Speed 6500/7500r/min
Max Cutting Width 300mm(12")
Quantity Per Color Box 1pc
N.W./G.W. 3.7/4.2kg(8.14/9.24 lb)
Packing Size 97x27x11cm(38"x10.6"x4")
Pcs/Container 937pcs/1978pcs/2325pcs



-90° ~ +90°

LITHIUM HEDGE TRIMMER
SF8A607

Rated Voltage 20V+20V
Battery Capacity 2.0-5.0Ah
No-load Speed 1550spm
Blade Length 22"/24"/26"
Cutting Length 20"/22"/24"
Max Cutting Dia 28mm(1 1/8")
Working Angles 5 Steps, -90°~+90°
Quantity Per Carton 2pcs
N.W./G.W. 8.1/8.8kg(17.8/19.4 lb)
Packing Size 117.5x29x22cm(46.3"x11.4"x8.7")
Pcs/Container 720pcs/1520pcs/1786pcs



SF8A228-1

LITHIUM BRUSH CUTTER
SF8A228-4 **NEW**

Rated Voltage 20V+20V
Battery Capacity 4.0-10.0Ah
No-load Speed 6500/7500r/min
Max Cutting Width 300mm(12")
Quantity Per Color Box 1pc
N.W./G.W. 3.5/4kg(8.37/8.8 lb)
Packing Size 97x27x11cm(38"x10.6"x4")
Pcs/Container 937pcs/1978pcs/2325pcs



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com



SF8A238-2 ALUMINUM

LITHIUM BRUSH CUTTER
SF8A238-3 NEW



Rated Voltage 20V+20V
Battery Capacity 4.0-10.0Ah
No-load Speed 5000/6000r/min
Max Cutting Width 380mm(15")
Quantity Per Color Box 1pc
N.W./G.W. 4.5/5kg(9.9/11 lb)
Packing Size 103x29x13cm(41.3"x7.5"x4.3")
Pcs/Container 695pcs/1468pcs/725pcs



SF8A238-1 ALUMINUM

LITHIUM BRUSH CUTTER
SF8A238-4 NEW



Rated Voltage 20V+20V
Battery Capacity 4.0-10.0Ah
No-load Speed 5000/6000r/min
Max Cutting Width 380mm(15")
Quantity Per Color Box 1pc
N.W./G.W. 3.7/4.2kg(8.14/9.24 lb)
Packing Size 102.5x26.5x12cm (40.35"x10.43"x4.72")
Pcs/Container 850pcs/1770pcs/2080pcs



LITHIUM POLE SAW
SF8A237



Rated Voltage 20V+20V
Battery Capacity 4.0-10.0Ah
No-load Speed 4500r/min
Chain Speed 7m/s
Working Angles 5 Steps, 0°~+90°
Cutting Length 8"
Oil Tank Volume 120ml
Quantity Per Carton 1pc
N.W./G.W. 3.7/4.2kg(8.14/9.24 lb)
Packing Size 88x26.5x14cm(34.7"x10.4"x5.5")
Pcs/Container 842pcs/1761pcs/2060pcs



LITHIUM MULTI FUNCTION MACHINE
SF8A213



Rated Voltage 20V+20V
Battery Capacity 4.0-10.0Ah
Grass Trimmer
No-load Speed 7000r/min
Cutting Diameter 300mm(12")
Nylon Line Φ2.0mmx5.3m(Φ0.08")
Brush Cutter
No-load Speed 7000r/min
Blade 3T*255mm(3T*10")
Pole Hedge Trimmer
No-load Speed 1200spm
Blade Length 400mm(16") Laser Blade
Working Angles 7 Steps, -45°~+90°
Pruner
No-load Speed 4500r/min
Chain Speed 7m/s
Working Angles 5 Steps, 0°~+90°
Cutting Length 200mm(8")
Oil Tank 120ml
Quantity Per Carton 1pc
N.W./G.W. 8.9/9kg(17.6/19.8 lb)
Packing Size 104x26x17cm(40.9"x10.2"x6.7")
Pcs/Container 587pcs/1239pcs/1450pcs



METAL DECK LITHIUM LAWN MOWER



QUICK FOLDING



VERTICAL STORAGE

NEW **SF8A128-5** **SF8A128-11**

	SF8A128-5	SF8A128-11
Rated Voltage	20V+20V	(20V+20V)x2
Battery Capacity	4.0-10.0Ah	4.0-10.0Ah
No-load Speed	3300r/min	3300r/min
Deck Width	470mm(21")	470mm(21")
Cutting Height	7 Levels (30-75mm)(1.2"-3")	7 Levels (30-75mm)(1.2"-3")
Front/Rear Wheel	8"/11"	8"/11"
Grass Box Volume	65L	65L
Mulching Function	Yes	Yes
Battery Automatic Switchover	No	Yes
Quantity Per Carton	1pc	1pc
N.W./G.W.	25.4/32.6kg (55.88/71.72 lb)	25.4/32.6kg (55.88/71.72 lb)
Packing Size	109.1x55.6x46.8cm (42.9"x21.9"x18.4")	109.1x55.6x46.8cm (42.9"x21.9"x18.4")
Pcs/Container	97pcs/203pcs/238pcs (20'/40'/40'HQ)	97pcs/203pcs/238pcs



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com

METAL DECK LITHIUM LAWN MOWER



VERTICAL STORAGE

NEW

€ SF8A128

€ SF8A129

Rated Voltage	(20V+20V)x2 4 Batteries	(20V+20V)x2 4 Batteries
Battery Capacity	4.0-10.0Ah	4.0-10.0Ah
No-load Speed	3300r/min	3300r/min
Deck Width	470mm(21")	533mm(23")
Cutting Height	7 Levels (30-75mm)(1.2"-3")	7 Levels (30-100mm)(1.2"-4")
Front/Rear Wheel	8"/11"	8"/11"
Grass Box Volume	65L	65L
Mulching Function	Yes	Yes
Battery Automatic Switchover	Yes	Yes
Quantity Per Carton	1pc	1pc
N.W./G.W.	26.3/27.4kg(57.86/60.28 lb)	27.2/28kg(60.28/61.6 lb)
Packing Size	109.1x55.6x46.8cm (42.9"x21.9"x18.4")	112x61.2x48cm (44"x24"x18.9")
Pcs/Container	97pcs/203pcs/238pcs (20'/40'/40'HQ)	84pcs/175pcs/205pcs

METAL DECK LITHIUM LAWN MOWER



VERTICAL STORAGE

NEW

€ SF8A128-1

€ SF8A129-1

Rated Voltage	(20V+20V)x2 4 Batteries	(20V+20V)x2 4 Batteries
Battery Capacity	4.0-10.0Ah	4.0-10.0Ah
No-load Speed	3300r/min	3300r/min
Deck Width	470mm(21")	533mm(23")
Cutting Height	7 Levels (30-75mm)(1.2"-3")	7 Levels (30-100mm)(1.2"-4")
Front/Rear Wheel	8"/11"	8"/11"
Grass Box Volume	65L	65L
Mulching Function	Yes	Yes
Battery Automatic Switchover	Yes	Yes
Quantity Per Carton	1pc	1pc
N.W./G.W.	25.5/26kg(57.2/19.8 lb)	29/29.5kg(63.8/64.9 lb)
Packing Size	109.1x55.6x46.8cm (42.9"x21.9"x18.4")	112x61.2x48cm (44"x24"x18.9")
Pcs/Container	97pcs/203pcs/238pcs (20'/40'/40'HQ)	84pcs/175pcs/205pcs



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com



BRUSHLESS MOTOR



VERTICAL STORAGE



NEW

LITHIUM LAWN MOWER

SF8A151-1
Rated Voltage 20V+20V
Battery Capacity 4.0-10.0Ah
No-load Speed 3300r/min
Deck Width 360mm(14")
Grass Box Volume 35L
Cutting Height 6Levels (25-75mm)(1"-3")
Front /Rear Wheel Quantity Per Carton 1pc
Packing Size 69.5x42.5x35.5cm (27.4"x16.7"x14")
Pcs/Container 259pcs/538pcs/630pcs



SF8A151-2

Rated Voltage 20V+20V
Battery Capacity 4.0-10.0Ah
No-load Speed 3300r/min
Deck Width 360mm(14")
Grass Box Volume 35L
Cutting Height 6Levels (25-75mm)(1"-3")
Front /Rear Wheel Quantity Per Carton 1pc
Packing Size 69.5x42.5x35.5cm (27.4"x16.7"x14")
Pcs/Container 259pcs/538pcs/630pcs



LITHIUM LAWN MOWER SF8A110-J

Rated Voltage 20V+20V
Battery Capacity 4.0-10.0Ah
No-load Speed 3300r/min
Max Cutting Length 370mm(15")
Cutting Height 6 Levels (25-75mm)(1"-3")
Front/Rear Wheel 6"7/8"
Grass Box Volume 35L
Power Indicator Optional
Mulching Function Yes
Quantity Per Carton 1pc
N.W./G.W. 12.5/13.5kg(27.5/29.7 lb)
Packing Size 70.5x43.5x38cm(27.8"x17"x15")
Pcs/Container 240pcs/500pcs/580pcs



BRUSHLESS MOTOR



BRUSHLESS MOTOR



VERTICAL STORAGE



NEW

LITHIUM LAWN MOWER

SF8A152-1
Rated Voltage 20V+20V
Battery Capacity 4.0-10.0Ah
No-load Speed 3300r/min
Deck Width 400mm(16")
Grass Box Volume 45L
Cutting Height 7Levels (25-75mm)(1"-3")
Front /Rear Wheel Quantity Per Carton 1pc
Packing Size 78x45.5x35.5cm (31"x18"x14")
Pcs/Container 222pcs/480pcs/539pcs



SF8A152-2

Rated Voltage 20V+20V
Battery Capacity 4.0-10.0Ah
No-load Speed 3300r/min
Deck Width 400mm(16")
Grass Box Volume 45L
Cutting Height 7Levels (25-75mm)(1"-3")
Front /Rear Wheel Quantity Per Carton 1pc
Packing Size 78x45.5x35.5cm (31"x18"x14")
Pcs/Container 222pcs/480pcs/539pcs



LITHIUM LAWN MOWER SF8A107-J

Rated Voltage 20V+20V
Battery Capacity 4.0-10.0Ah
No-load Speed 3300r/min
Max Cutting Length 430mm(17")
Cutting Height 6 Levels (25-75mm)(1"-3")
Front Wheel: 7"
Rear Wheel: 10"
Wheel 50L
Grass Box Volume 50L
Mulching Function Yes
Quantity Per Carton 1pc
N.W./G.W. 14/15kg(30.8/33 lb)
Packing Size 80.4x48.4x40cm(31.7"x19"x15.7")
Pcs/Container 180pcs/370pcs/430pcs



BRUSHLESS MOTOR



OPTIONAL



LITHIUM LAWN MOWER SF8A111

Rated Voltage 20V+20V
Battery Capacity 4.0-10.0Ah
No-load speed 3300r/min
Max Cutting Length 330mm(13")
Grass Box Volume 35L
Cutting Height 5Levels (25-75mm)(1"-3")
Front /Rear Wheel Quantity Per Carton 1pc
N.W./G.W. 9.5/10.5kg(20.9/23.1 lb)
Packing Size 69x41x33cm(27.2"x16.2"x13")
Pcs/Container 295pcs/516pcs/725pcs


NEW



BRUSHLESS MOTOR



TWO FUNCTIONS



SCARIFIER



DETHATCHER



LITHIUM SCARIFIER SF8G608 NEW

Rated Voltage 20V+20V
Battery Capacity 4.0-10.0Ah
No-load Speed 2700/3200r/min
Max Cutting Width 360mm(14")
Scarifier Blade 16pcs
Dethatcher Claw Spring 24pcs
Front / Rear Wheel Size 8"7/8"
Grass Bag Capacity 45L
Cutting Height 5 Levels -12/-9/-6/-3/6 mm
Scarifier Height -2/14/7/16 mm
Dethatcher Height 3 Levels
Handle Angle 1pc
Quantity Per Carton 1pc
Packing Size 59x46x38cm (23"x18"x14")
Pcs/Container 267pcs/558pcs/655pcs



BRUSHLESS MOTOR



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com



LITHIUM TILLER
SF8G609-1 NEW

Rated Voltage	20V+20V
Battery Capacity	4.0-10.0Ah
No-load Speed	100-250r/min
Tilling Width	300/450mm(12"/18")
Max Tilling Depth	250mm(10")
Quantity Per Carton	1pc
Packing Size	64x50x55cm (25"x20"x21")
Pcs/Container	179pcs/375pcs/440pcs



CE



LITHIUM TILLER
SF8G607 NEW

Rated Voltage	20V+20V
Battery Capacity	4.0-10.0Ah
Load Speed	180r/min
Tilling Width	400mm(16")
Max Tilling Depth	276mm(8")
Quantity Per Carton	1pc
N.W./G.W.	13.5/14.5kg(29.7/31.9 lb)
Packing Size	60x46x38cm(23.6"x18.1"x14.96")
Pcs/Container	267pcs/553pcs/648pcs



CE



LITHIUM TILLER
SF8G601

Rated Voltage	20V+20V
Battery Capacity	4.0-10.0Ah
Load Speed	280r/min
Tilling Width	300mm(12")
Max Tilling Depth	200mm(8")
Quantity Per Carton	1pc
N.W./G.W.	12.5/13.5kg(27.5/29.7lb)
Packing Size	59.5x36.5x34.5cm(23.4"x14"x12.8")
Pcs/Container	400pcs/840pcs/980pcs



LITHIUM WOOD SHREDDER
SF8G401 NEW

Rated Voltage	20V+20V
Battery Capacity	4.0-10.0Ah
No-load Speed	44r/min
Shredding Diameter	40mm
Cutting System	Roller
Reduction Ratio	21:1
Max Torque	230N.m
Sound Level	94dB(A)
Collection Bin	45L
Net Weight	24kg(53 lb)
Packing Size	60x40x55cm (23.6"x15.7"x21.65")

Pcs/Container
(20/40/40HQ)



230mm MAX TORQUE 94dB(A)



SAFUN

Lithium series



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com



LITHIUM SNOW BLOWER
SF8L503 **NEW**

BRUSHLESS MOTOR

Rated Voltage 20V
Battery Capacity 4.0-10.0Ah
No-Load Speed 1800-2200r/min
Clearing Width 300mm(12")
Throw Distance 6m
Intake Height 200mm(8")
Incliner Adjustment ±30°
Quantity Per Carton 1pc
Packing Size 51x29x29cm(20"x11.5"x11.5")



LITHIUM CHAIN SAW	BRUSHLESS MOTOR SF8J122-2	BRUSH MOTOR SF8J123-1
Rated Voltage	20V	20V
Battery Capacity	2.0-10.0Ah	2.0-10.0Ah
No-load Speed	4500r/min	3800r/min
Bar Length	47/5"	47/5"
Chain Speed	6.9m/s	5.8m/s
Chain Tension	Tool Free	Tool Free
Quantity Per Carton	6pcs	6pcs
N.W./G.W.	1.2/1.5kg (2.66/3.3 lb)	1.25/1.55kg (2.8/3.41 lb)
Packing size	41x19x16cm(15.4"x7.3"x6.3")	
Pcs/Container	1970pcs/40800pcs/4800pcs	

FEATURES

- SMALL SIZE, LOW WEIGHT, TOOLLESS ADJUST
- POWERFUL MOTOR, METAL GEAR, LONG LIFE
- HIGH CUTTING EFFICIENCY
- OPTIONAL EXTENSION SHAFT FOR DIFFERENT WORKING CONDITION
- ERGONOMICAL RUBBER HANDLE, COMFORTABLE IN USING
- BRUSHED AND BRUSHLESS MOTOR FOR CHOICE



LITHIUM CHAIN SAW	BRUSHLESS MOTOR SF8J123-2	BRUSH MOTOR SF8J123-1
Rated Voltage	20V	20V
Battery Capacity	2.0-10.0Ah	2.0-10.0Ah
No-load Speed	4500r/min	3700r/min
Bar Length	47/5"	47/5"
Chain Speed	6.9m/s	5.6m/s
Chain Tension	Tool Free	Tool Free
Quantity Per Carton	10pcs	10pcs
N.W./G.W.	1.27/1.57kg (2.8/3.454 lb)	1.3/1.6kg (2.9/3.52 lb)
Packing size	60x39.5x40cm(130"x19"x16")	
Pcs/Container	2960pcs/6120pcs/7180pcs	

FEATURES

- SMALL SIZE, LOW WEIGHT, TOOLLESS ADJUST
- POWERFUL MOTOR, METAL GEAR, LONG LIFE
- OPTIONAL EXTENSION SHAFT
- ERGONOMICAL RUBBER HANDLE, COMFORTABLE IN USING
- BRUSHED AND BRUSHLESS MOTOR FOR CHOICE



LITHIUM CHAIN SAW	BRUSHLESS MOTOR SF8J133-1	BRUSH MOTOR SF8J133-2
Rated Voltage	20V	20V
Battery Capacity	2.0-10.0Ah	2.0-10.0Ah
No-load Speed	4600r/min	3700r/min
Bar Length	67/8"(14")	6"(14")
Chain Speed	7m/s	5.6m/s
Chain Tension	Tool Free	Tool Free
Cutting Length	135/190mm	135mm
Quantity Per Carton	8pcs	8pcs
N.W./G.W.	1.3/1.6kg (2.86/3.52 lb)	
Packing size	38x31x43cm (6") (12.4"x3.9"x8.6")	
Pcs/Container	4420pcs/9160pcs/10740pcs	

FEATURES

- AUTO LUBRICATION
- 6"/8"/10" BAR OPTIONAL
- TOOL FREE



LITHIUM CHAIN SAW	BRUSHLESS MOTOR SF8J138-W	BRUSH MOTOR SF8J138-Y
Rated Voltage	20V	20V
Battery Capacity	4.0-10.0Ah	4.0-10.0Ah
Working Speed	3500r/min	3000r/min
Bar Length	10"/12"	10"/12"
Auto Lubricate	Yes	Yes
Chain Speed	6.7m/s	5.6m/s
Chain Tension	Tool Free	Tool Free
Max Cutting Length	275mm	275mm
Quantity Per Carton	4pcs	4pcs
Packing Size	50x32x48cm(19.68"x18.89"x24.4")	
Pcs/Container	1460pcs/3020pcs/3550pcs	



LITHIUM CHAIN SAW
SF8J133-3

BRUSHLESS MOTOR

Rated Voltage 20V
Battery Capacity 2.0-10.0Ah
No-load Speed 3000r/min
Bar Length 10"(3/8")
Chain Speed 5.6m/s
Chain Tension Tool Free
Cutting Length 250mm
Quantity Per Carton 4pcs
N.W./G.W. 1.88/2.18kg(4.14/4.796 lb)
Packing size 48x36x23cm (10")
(18.3"x16.9"x9.05")
2520pcs/5840pcs/6850pcs

FEATURES

- AUTO LUBRICATION
- 6"/8"/10" BAR OPTIONAL
- TOOL FREE



LITHIUM CHAIN SAW	BRUSHLESS MOTOR SF8J126-S	BRUSH MOTOR SF8J126
Rated Voltage	20V	20V
Battery Capacity	4.0-10.0Ah	4.0-10.0Ah
Working Speed	4500r/min	3000r/min
Bar Length	10"/12"	10"/12"
Chain Speed	8.3m/s	5.6m/s
Chain Tension	Tool Free	Tool Free
Quantity Per Carton	1pc	1pc
Packing Size	45.5x22.5x23cm (18"x8.8"x9")	
Pcs/Container	1190pcs/2470pcs/2900pcs	

FEATURES

- AUTO OILING-BIG OIL BOTTLE
- DOUBLE SAFETY BRAKE
- HIGH CUTTING EFFICIENCY
- POWERFUL MOTOR, METAL GEAR, LONG LIFE
- SMALL SIZE, LOW WEIGHT, TOOLLESS ADJUST
- ERGONOMICAL RUBBER HANDLE, COMFORTABLE IN USING



LITHIUM CHAIN SAW

Rated Voltage
Battery Capacity
No-load Speed
No-load Chain Speed
Bar Length
Auto Lubricate
Max Cutting Length
Quantity Per Carton
Packing Size

Pcs/Container
(20/40/40 HQ)

BRUSHLESS MOTOR	BRUSH MOTOR
SF8J113-S	SF8J113
20V	20V
4.0-10.0Ah	4.0-10.0Ah
4500r/min	3000r/min
8.3m/s	5.6m/s
10"/12"	10"/12"
Yes	Yes
235/285mm	235/285mm
1pc	1pc
45.5x22.5x23cm (18"x8.8"x9")	45.5x22.5x23cm (18"x8.8"x9")
1190pcs/2470pcs/2900pcs	



LITHIUM HEDGE TRIMMER
SF8A610

Rated Voltage
Battery Capacity
Max Cutting Diameter
Blade Length
Cutting Length
No-Load Speed
Double Safety Brake
Quantity Per Carton
N.W./G.W.
Packing Size

Pcs/Container
(20/40/40 HQ)



LITHIUM CHAIN SAW

Rated Voltage
Battery Capacity
No-load Speed
Bar Length
Auto Lubricate
Double Safety Brake
Chain Speed
Chain Tension
Cutting Length
Quantity Per Carton
Packing size

Pcs/Container
(20/40/40 HQ)

BRUSHLESS MOTOR	BRUSH MOTOR
SF8J120-D	SF8J120-B
20V	20V
4.0-10.0Ah	4.0-10.0Ah
4500r/min	3000r/min
10"/12"	10"/12"
Yes	Yes
Yes	Yes
8.3m/s	5.6m/s
Tool Free	Tool Free
235/285mm	235/285mm
1pc	1pc
46x25x26cm (18"x9.8"x10")	46x25x26cm (18"x9.8"x10")
940pcs/1940pcs/2280pcs	

FEATURES

- CHAIN QUICK ADJUST
- GOOD BALANCE
- HIGH CUTTING EFFICIENCY
- EASY STORAGE
- AUTO OILING
- DOUBLE SAFETY BRAKE



LITHIUM HEDGE TRIMMER
SF8A612

Rated Voltage
Battery Capacity
Max Cutting Diameter
Blade Length
Cutting Length
No-Load Speed
Double Safety Brake
Quantity Per Carton
N.W./G.W.
Packing Size

Pcs/Container
(20/40/40 HQ)



FEATURES

- SAFETY BUTTON
- LIGHT WEIGHT, EASY TO OPERATE
- 16"/18"/20"/22" LASER BLADE FOR CHOICE
- EXTERNAL GEAR BOX, CONVENIENT TO REPAIR
- 5 ANGLES ADJUSTMENT REAR HANDLE



LITHIUM CHAIN SAW
SF4J106

Rated Voltage
Battery Capacity
Guide Bar length
Rated Power
Chain Speed
Guide Bar length
N.W./G.W.
Quantity Per Carton
Packing Size
(20/40/40 HQ)

Pcs/Container
(20/40/40 HQ)



LITHIUM BLOWER
SF8A509

Rated Voltage
Battery Capacity
No-load Speed
Max Air Speed
Max Air Volume
Quantity Per Color Box
N.W./G.W.
Packing Size
Pcs/Container
(20/40/40 HQ)

Pcs/Container
(20/40/40 HQ)



LITHIUM HEDGE TRIMMER
SF8A609

Rated Voltage
Battery Capacity
Max Cutting Diameter
Blade Length
Cutting Length
No-Load Speed
Double Safety Brake
Quantity Per Carton
N.W./G.W.
Packing Size

Pcs/Container
(20/40/40 HQ)



LITHIUM BLOWER
SF8A515

Rated Voltage
Battery Capacity
No-load Speed
Max Air Speed
Max Air Volume
Quantity Per Color Box
N.W./G.W.
Packing Size
Pcs/Container
(20/40/40 HQ)

FEATURES

- EASY STORAGE
- LOW VIBRATION
- LIGHT WEIGHT, EASY TO CARRY
- LOW NOISE, HIGH AIR SPEED, BIG AIR VOLUME
- TWO SPEED
- TOOL FREE AIR TUBE ASSEMBLY



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com

CE



**LITHIUM BLOWER
SF8A518**

Rated Voltage 20V
Battery Capacity 2.0-10.0Ah
No-load Speed 13000/16000r/min
Max Air Speed 144km/h(90MPH)
Max Air Volume 570m³/h(335CFM)
Quantity Per Carton 1pc
N.W./G.W. 2/2.7kg(4.4/5.94 lb)
Packing Size 52x16x26cm(20.5"x6.3"x10.2")
Pcs/Container 1290pcs/2680pcs/3140pcs



FEATURES

- EASY STORAGE
- LOW VIBRATION
- LIGHT WEIGHT, EASY TO CARRY
- LOW NOISE, HIGH AIR SPEED, BIG AIR VOLUME
- TWO SPEED
- TOOL FREE AIR TUBE ASSEMBLY

CE



**LITHIUM BLOWER
SF8A523**

Rated Voltage 20V
Battery Capacity 2.0-10.0Ah
No-load Speed 11000/13500 r/min
Max Air Speed 241km/h(150MPH)
Max Air Volume 245m³/h(143CFM)
Quantity Per Carton 1pc
Net Weight 1.1kg(2.4 lb)
Packing Size 41.5x21x18cm(16.3"x8.3"x7.1")
Pcs/Container 1785pcs/3700pcs/4350pcs



FEATURES

- 2 VARIABLE SPEED
- BATTERY CAPACITY INDICATOR
- OPERATING PANEL
- AL FAN



CE



**LITHIUM BRUSH CUTTER
SF8A232-4**

Rated Voltage 20V
Battery Capacity 4.0-10.0Ah
No-load Speed 6500-7500r/min
Max Cutting Width 300mm(12")
Quantity Per Color Box 1pc
N.W./G.W. 4.5/5kg(9.9/11 lb)
Packing Size 97x27x11cm(38.2"x10.6"x4")
Pcs/Container 970pcs/2010pcs/2360pcs



CE



**LITHIUM BRUSH CUTTER
SF8A232-3**

Rated Voltage 20V
Battery Capacity 4.0-10.0Ah
No-load Speed 5500/7500r/min
Max Cutting Width 300mm(12")
Quantity Per Color Box 1pc
N.W./G.W. 4.5/5kg(9.9/11 lb)
Packing Size 97x27x11cm(38.2"x10.6"x4")
Pcs/Container 970pcs/2010pcs/2360pcs



CE



**LITHIUM BRUSH CUTTER
SF8A208**

Rated Voltage 20V
Battery Capacity 4.0-10.0Ah
No-load Speed 6500/7500r/min
Max Cutting Width 300mm(12")
Quantity Per Color Box 1pc
N.W./G.W. 4.2/5kg(9.24/11 lb)
Packing Size 97x27x11cm(38.2"x10.6"x3.9")
Pcs/Container 970pcs/2010pcs/2360pcs



CE



**LITHIUM BRUSH CUTTER
SF8A232-8 NEW**

Rated Voltage 20V
Battery Capacity 4.0-10.0Ah
No-load Speed 5500/7500r/min
Max Cutting Width 300mm(12")
Quantity Per Color Box 1pc
N.W./G.W. 4.5/5kg(9.9/11 lb)
Packing Size 97x27x11cm(38.2"x10.6"x4")
Pcs/Container 970pcs/2010pcs/2360pcs



CE



**LITHIUM BRUSH CUTTER
SF8A208-1**

Rated Voltage 20V
Battery Capacity 4.0-10.0Ah
No-load Speed 6500-7500r/min
Max Cutting Width 300mm(12")
Quantity Per Color Box 1pc
N.W./G.W. 4.5/5kg(9.9/11 lb)
Packing Size 97x27x11cm(38.2"x10.6"x3.9")
Pcs/Container 970pcs/2010pcs/2360pcs



CE



**LITHIUM BRUSH CUTTER
SF8A232-7 NEW**

Rated Voltage 20V
Battery Capacity 4.0-10.0Ah
No-load Speed 5500/7500r/min
Max Cutting Width 300mm(12")
Quantity Per Color Box 1pc
N.W./G.W. 4.5/5kg(9.9/11 lb)
Packing Size 97x27x11cm(38.2"x10.6"x4")
Pcs/Container 970pcs/2010pcs/2360pcs



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com



LITHIUM GRASS TRIMMER
SF8A227

Rated Voltage 20V
Battery Capacity 2.0-10.0Ah
No-load Speed 8000r/min±10%
Max Cutting Width 300mm(12")
Line Φ 1.6mmx5.3m(Φ 0.06")
N.W./G.W. 1.9/2.7kg(4.18/5.94 lb)
Packing Size 70.5x19.5x15cm(27.7"x7.7"x5.9")
Pcs/Container 1360pcs/2820pcs/3300pcs



FEATURES

- SINGLE AUTO FEEDING
- LIGHT WEIGHT, EASY TO OPERATE
- FLOWER GUARD, TRIMMING FUNCTION
- SIMPLE TO DISMOUNT SPOOL, EASY TO CHANGE REEL
- ASSISTANT HANDLE 8 ANGLES ADJUSTMENT
- 5 ANGLES ADJUSTMENT WORKING HEAD, 90 DEGREE ROTATE HANDLE



LITHIUM GRASS TRIMMER

SF8A220
Rated Voltage 20V
Battery Capacity 2.0-10.0Ah
No-load Speed 8000r/min
Max Cutting Width 300mm(12")
Nylon Line Φ 1.6mmx5m(Φ 0.03")
Quantity Per Carton 4pcs
N.W./G.W. 13/14kg(28.6/30.8 lb)

SF8A220-A

Rated Voltage 20V
Battery Capacity 2.0-10.0Ah
No-load Speed 8000r/min
Max Cutting Width 250mm(10")
Nylon Line Φ 1.6mmx5m(Φ 0.03")
Quantity Per Carton 4pcs
N.W./G.W. 13/14kg(28.6/30.8 lb)
Packing Size 61x41x32cm(59"x19.5"x15")
Pcs/Container 1400pcs/2900pcs/3400pcs



LITHIUM GRASS TRIMMER

SF8A221
Rated Voltage 20V
Battery Capacity 2.0-10.0Ah
No-load Speed 8100r/min
Max Cutting Width 250mm(10")
Nylon Line Φ 1.6mmx5m(Φ 0.06")
Quantity Per Carton 4pcs
N.W./G.W. 8/9.2kg(17.6/20.24 lb)
Packing Size 54x37x31cm(59"x19.5"x15")
Pcs/Container 1400pcs/2900pcs/3400pcs

SF8A221-A

Rated Voltage 20V
Battery Capacity 2.0-10.0Ah
No-load Speed 8100r/min
Max Cutting Width 300mm(12")
Nylon Line Φ 1.6mmx5m(Φ 0.06")
Quantity Per Carton 4pcs
N.W./G.W. 8/9.2kg(17.6/20.24 lb)
Packing Size 54x37x31cm(59"x19.5"x15")
Pcs/Container 1400pcs/2900pcs/3400pcs



LITHIUM GRASS TRIMMER
SF8A201

Rated Voltage 20V
Battery Capacity 2.0-10.0Ah
No-load Speed 8500r/min
Max Cutting Width 250mm(10")
Nylon Line Φ 1.2mmx4.5m
Quantity Per Carton 2pcs
N.W./G.W. 2.1/2.6kg(4.6/5.7 lb)
Packing Size 92x22x24cm(36.2"x8.7"x9.4")
Pcs/Container 1092pcs/2326pcs/2780pcs



LITHIUM MULTI FUNCTION MACHINE
SF8A231-3

Rated Voltage 20V
Battery Capacity 2.0-10.0Ah
Grass Trimmer
No-load Speed 5100/7000r/min
Cutting Diameter 300mm(12")
Grass Line Φ 2.0mmx5.3m(Φ 0.08")
Brush Cutter
No-load Speed 5100/7000r/min
Blade 3T*255mm(3T*10")
Pole Hedge Trimmer
No-load Speed 900/1200r/min
Blade Length 400mm(16") Laser Blade
Working Angles 7 Steps, -45°~+90°
Pruner
No-load Speed 3400/4500r/min
Chain Speed 7m/s
Working Angles 5 Steps, 0°~+90°
Cutting Length 200mm(8")
Quantity Per Carton 1pc
Packing Size 112x32x14cm(44"x12.59"x5.5")
Pcs/Container 560pcs/1155pcs/1355pcs



LITHIUM MULTI FUNCTION MACHINE
SF8A231-5 NEW

Rated Voltage 20V
Battery Capacity 4.0-10.0Ah
Grass Trimmer
No-load Speed 5100/7000r/min
Cutting Diameter 300mm(12")
Grass Line Φ 2.0mmx5.3m(Φ 0.08")
Brush Cutter
No-load Speed 5100/7000r/min
Blade 3T*255mm(3T*10")
Pole Hedge Trimmer
No-load Speed 900/1200r/min
Blade Length 400mm(16") Laser Blade
Working Angles 7 Steps, -45°~+90°
Pruner
No-load Speed 3400/4500r/min
Chain Speed 7m/s
Working Angles 5 Steps, 0°~+90°
Cutting Length 200mm(8")
Quantity Per Carton 1pc
Packing Size 112x32x14cm(44"x12.59"x5.5")
Pcs/Container 560pcs/1155pcs/1355pcs



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com



LITHIUM MULTI FUNCTION MACHINE
SF8A207

Rated Voltage 20V
Battery Capacity 4.0-10.0Ah
Grass Trimmer
No-load Speed 7000r/min
Cutting Diameter 300mm(12")
Grass Line $\Phi 2.0\text{mm} \times 5.3\text{m}(40.08")$
Brush Cutter
No-load Speed 7000r/min
Blade 3T*255mm(3T*10")
Pole Hedge Trimmer
No-load Speed 1200spm
Blade Length 400mm(16") Laser Blade
Working Angles 7 Steps, -45°~+90°
Pruner
No-load Speed 4500r/min
Chain Speed 7m/s
Working Angles 5 Steps, 0°~+90°
Cutting Length 200mm(8")
Packing Size 112x32x14cm(44"x12.59"x5.5")
Pcs/Container 560pcs/1155pcs/1355pcs



LITHIUM PUSH SWEEPER
SF8L507 **NEW**

Rated Voltage 20V
Battery Capacity 4.0-10.0Ah
Working Width 610mm
Collect Capacity 20L
Wheel Size Diameter 200mm
Side Brush Diameter 320mm
Quantity Per Carton 1pc
Packing Size 71x51x31cm (27.9"x20"x12")
Pcs/Container 249pcs/516pcs/605pcs



VERTICAL STORAGE



OPTIONAL



LITHIUM LAWN MOWER
SF8A150-1 **NEW**

Rated Voltage 20V
Battery Capacity 4.0-10.0Ah
No-load speed 3300r/min
Max Cutting Length 330mm(13")
Grass Box Volume 30L
Cutting Height 5Levels (25-75mm)(1"-3")
5.5"~6.5"
Front /Rear Wheel Quantity Per Carton 1pc
Packing Size 69x41x33cm(27.2"x16.2"x13")
Pcs/Container 295pcs/616pcs/725pcs



NEW



LITHIUM LAWN MOWER
SF8A150-2 **SF8A150-3**

Rated Voltage	20V	20V
Battery Capacity	4.0-10.0Ah	4.0-10.0Ah
No-load speed	3300r/min	3300r/min
Max Cutting Length	320mm(13")	320mm(13")
Grass Box Volume	30L	30L
Cutting Height	5Levels (25-75mm)(1"-3")	5Levels (25-75mm)(1"-3")
	5.5"~6.5"	5.5"~6.5"
Front /Rear Wheel	1pc	1pc
Quantity Per Carton	69x40x34cm	69x40x34cm
Packing Size	(27.2"x16"x13")	(27.2"x16"x13")
Pcs/Container	298pcs/616pcs/724pcs	298pcs/616pcs/724pcs



CONTROL PANNEL
BLADE LIFE
AUTO
REPLACEMENT
PROMPT



LITHIUM LAWN MOWER
SF8A111-J

Rated Voltage 20V
Battery Capacity 4.0-10.0Ah
No-load speed 3300r/min
Max Cutting Length 330mm(13")
Grass Box Volume 30L
Cutting Height 5Levels (25-75mm)(1"-3")
5.5"~6.5"
Front /Rear Wheel Power Indicator
Quantity Per Carton 1pc
Packing Size 69x41x33cm(27.2"x16.2"x13")
Pcs/Container 295pcs/616pcs/725pcs



OPTIONAL



LITHIUM LAWN MOWER
SF8A131-J

Rated Voltage 20V
Battery Capacity 4.0-10.0Ah
No-load Speed 3300r/min
Max Cutting Length 330mm(13")
Grass Box Volume 30L
Cutting Height 5Levels (25-75mm)(1"-3")
Quantity Per Carton 1pc
N.W./G.W. 9/11.2kg(19.8/24.64 lb)
Packing Size 69x41x33cm(27.2"x16.2"x13")
Pcs/Container 295pcs/616pcs/725pcs



SF8J314-B



LITHIUM POLE SAW
SF8J314

Rated Voltage 20V
Battery Capacity 2.0-10.0Ah
No-load Speed 2600r/min
Max Cutting Length 190mm(8")
Max Length 2.75m
Quantity Per Carton 1pc
N.W./G.W. 5.6/7.1kg(12.32/15.62 lb)
Packing Size 174x17x11.5cm(68.5"x6.3"x3.7")
Pcs/Container 834pcs/1705pcs/190pcs



SF8J314-C



LITHIUM POLE SAW
SF8J314-A

Rated Voltage 20V
Battery Capacity 2.0-10.0Ah
No-load Speed 2600r/min
Max Cutting Length 190mm(8")
Max Length 2.75m
Quantity Per Carton 1pc
N.W./G.W. 5.6/7.1kg(12.32/15.62 lb)
Packing Size 115x19x12cm(45.3"x7.5"x4.7")
Pcs/Container 1067pcs/2210pcs/2590pcs



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com



LITHIUM POLE SAW
SF8J320

Rated Voltage 20V
Battery Capacity 2.0-10.0Ah
No-load Speed 2600r/min
Chain Speed 5m/s
Max Cutting Length 190mm(8")
Max Length 2.65m
N.W./G.W. 3.6/5.1kg(7.9/11.2 lb)
Packing Size 169x19x12.7cm (68.50"x6.7"x4.5")
Pcs/Container 590pcs/1210pcs/1420pcs



FEATURES

- BIG OIL BOTTLE
- SIMPLE OPERATION, SMOOTH CUTTING, LOW NOISE
- ANTI SELF LOCK BUTTON, ERGONOMICAL TRIGGER
- TELESCOPE SHAFT CAN EXTEND TOTAL LENGTH TO 1.86M±0.8M




LITHIUM POLE SAW
SF8J321

Rated Voltage 20V
Battery Capacity 2.0-10.0Ah
No-load Speed 2600r/min
Chain Speed 5m/s
Max Cutting Length 190mm(8")
Max Length 2.38m
N.W./G.W. 3.72/4.5kg(8.2/9.9 lb)
Packing Size 115x19x21cm(45.3"x7.5"x4.7")
Pcs/Container 2440pcs/2530pcs/2965pcs



FEATURES

- 3 PIECES SHAFTS, EASY FOR TRANSPORT AND STORAGE
- LIGHTWEIGHT DESIGN MAKES IT EASY TO USE
- CENTER EXTENSION ALLOWS FOR A USEABLE LENGTH OF 3M AND 2.38M WITHOUT EXTENSION WHICH IS ENOUGH FOR DAILY WORKING
- BATTERY CAPACITY INDICATOR
- FAST ASSEMBLING STRUCTURE



LITHIUM HEDGE TRIMMER
SF8A703

Rated Voltage 20V
Battery Capacity 2.0-10.0Ah
No-load Speed 1500spm
Max Blade Length 410mm(16")
Max Length 3m
Quantity Per Carton 1pc
N.W./G.W. 3.4/4kg(7.5/8.8 lb)
Packing Size 144.5x16.5x11cm (56.88"x6.5"x4.33")
Pcs/Container 1067pcs/2210pcs/2590pcs



LITHIUM HEDGE TRIMMER
SF8A703-A

Rated Voltage 20V
Battery Capacity 2.0-10.0Ah
No-load Speed 1500spm
Max Blade Length 410mm(16")
Max Length 3.3m
Quantity Per Carton 1pc
N.W./G.W. 3.6/4kg(7.9/8.8 lb)
Packing Size 115x19x10cm(45.3"x7.5"x3.9")
Pcs/Container 1258pcs/2631pcs/3090pcs



LITHIUM MULTI FUNCTION MACHINE
SF8J318

Rated Voltage 20V
Battery Capacity 2.0-10.0Ah
Pole Hedge Trimmer
No-load Speed 1500spm
Blade Length 400mm(16") Laser Blade
Working Angles 7 Steps, -45°~+90°
Max Length 2.95m
Pruner
No-load Speed 2600r/min
Chain Speed 5m/s
Working Angles 3 Steps, 0°~+30°
Cutting Length 200mm
Oil Tank 120ml
BLOWER VACUUM
No-load Speed 11000/13500r/min
Max Air Speed 64km/h
Max Air Volume 154m³/h
Working Angles -105°~+45°
Quantity Per Carton 1pc
N.W./G.W. 4.5/5.5kg(9.9/12.1 lb)
Packing Size 147x15x13cm(57.87"x5.9"x5.1")
Pcs/Container 876pcs/2023pcs/2372pcs



LITHIUM MULTI FUNCTION MACHINE
SF8J318-A

Rated Voltage 20V
Battery Capacity 2.0-10.0Ah
Pole Hedge Trimmer
No-load Speed 1500spm
Blade Length 400mm(16") Laser Blade
Working Angles 7 Steps, -45°~+90°
Max Length 2.95m
Pruner
No-load Speed 2600r/min
Chain Speed 5m/s
Working Angles 3 Steps, 0°~+30°
Cutting Length 200mm
Oil Tank 120ml
BLOWER VACUUM
No-load Speed 11000/13500r/min
Max Air Speed 64km/h
Max Air Volume 154m³/h
Working Angles -105°~+45°
Quantity Per Carton 1pc
N.W./G.W. 4.5/5.5kg(9.9/12.1 lb)
Packing Size 150x17x15cm(59"x6.6"x5.9")
Pcs/Container 957pcs/2023pcs/2372pcs





LITHIUM GRASS TRIMMER SF4A102

Rated Voltage 20V
 Battery Capacity 2.0-10.0Ah
 No-Load Speed 21000r/min
 Rated Input Power 500W
 N.W./G.W. 21/22.6kg(46.2/49.72 lb)
 Quantity Per Carton 6pcs
 Packing Size 97.5x34.5x50cm(38.3"x13.6"x19.7")
 Pcs/Container (20'/40'/40'HQ) 166pcs/345pcs/404pcs

BRUSHLESS MOTOR



NEW

LITHIUM TILLER SF8G600

Rated Voltage 20V
 Battery Capacity 4.0-10.0Ah
 No-load Speed 280r/min
 Tilling Width 220mm
 Max Tilling Depth 170mm
 Quantity Per Carton 1pc
 Packing Size 45x34x20cm
 Pcs/Container (20'/40'/40'HQ) 915/1895/2222pcs

BRUSHLESS MOTOR

LITHIUM TILLER SF8G600-1

Rated Voltage 20V
 Battery Capacity 4.0-10.0Ah
 No-load Speed 280r/min
 Tilling Width 220mm
 Max Tilling Depth 170mm
 Quantity Per Carton 1pc
 Packing Size 45x34x20cm
 Pcs/Container (20'/40'/40'HQ) 915/1895/2222pcs

BRUSH MOTOR



LITHIUM CHAIN SHARPENER SF8C101

Rated Voltage 20V
 Battery Capacity 2.0-10.0Ah
 No-load Speed 5500rpm/10%
 Chain Pitch Fit Ups Max 404"
 Quantity Per Carton 4pcs
 N.W./G.W. 9/13kg(19.8/28.6 lb)
 Packing Size 36x29.5x46cm(14"x11"x18")
 Pcs/Container (20'/40'/40'HQ) 2292pcs/4748pcs/5564pcs

BRUSH MOTOR



LITHIUM MINING RUBBER MACHINE SF8K102

Rated Voltage 20V
 Rated Power 180W
 Speed 3 Steps
 No-load Speed 1000r/min
 1300r/min
 1450r/min
 Working Up to 1000pcs trees
 Quantity Per Carton 1pc
 N.W./G.W. 0.59/2.84kg(1.3/6.2 lb)
 Packing Size 35.5x28.5x11cm(14"x11.2"x4.3")
 Pcs/Container (20'/40'/40'HQ) 2300pcs/4830pcs/5600pcs

BRUSHLESS MOTOR

FEATURES



LITHIUM PRESSURE WASHER SF8L202

Voltage 20V
 Battery Capacity 2.0-10.0Ah
 Water Pressure 25bar (2.5mpa)
 Flow Rate 3.3L/min(52.3GPH)
 Spray Range 6-7m(19.7ft-23ft)
 Power 120W
 Quantity Per Carton 6pcs
 N.W./G.W. 12/13kg (26.4/28.6 lb)
 Packing Size 59x49.5x30cm(23"x19"x11")
 Pcs/Container (20'/40'/40'HQ) 48x39x29cm(19"x15"x11")
 2064pcs/4280pcs/5020pcs

BRUSH MOTOR

- FEATURES**
- PORTABLE LIGHTWEIGHT AND COMPACT DESIGN
 - MULTIPLE-FUNCTIONS & WIDE APPLICATION
 - EASY TO ASSEMBLE
 - ANTI BLOCKING PUMP WITH PRESSURE RELIEF VALVE DESIGN



LITHIUM PRESSURE WASHER SF8L204 NEW

Voltage 20V
 Battery Capacity 2.0-10.0Ah
 Water Pressure 20-30bar
 Flow Rate 4-5L/min
 Quantity Per Carton 4pcs
 Packing Size 42.5x28.5x14.3cm(17"x11"x5.7")
 Pcs/Container (20'/40'/40'HQ) 37x23x13.5cm(14"x9"x5.3")
 2064pcs/4280pcs/5020pcs

BRUSHLESS MOTOR

- FEATURES**
- PORTABLE LIGHTWEIGHT AND COMPACT DESIGN
 - MULTIPLE-FUNCTIONS & WIDE APPLICATION
 - EASY TO ASSEMBLE
 - ANTI BLOCKING PUMP WITH PRESSURE RELIEF VALVE DESIGN



LITHIUM WATER PUMP SFB202 NEW

Rated Voltage 20V
 Battery Capacity 2.0-10.0Ah
 Max Spray Range 25m
 Max Flow Rate 15m³/h
 Cable Length 7m
 Quantity Per Carton 4pcs
 N.W./G.W. 8/9kg (17.6/19.8 lb)
 Packing Size 47x39x30cm(18.5"x14.1"x12")
 Pcs/Container (20'/40'/40'HQ) 551pcs/1143pcs/1339pcs

BRUSHLESS MOTOR





SF4A704 **NEW**

Battery Voltage 20V
 Battery Capacity 2.0-8.0Ah
 Max Cutting Diameter 25mm
 Rated Input Power 140W
 Quantity Per Carton 8pcs
 N.W./G.W 6/12kg (13.2/26.4 lb)
 Carton Size 51.5x35x33cm(BMC)
 Pcs/Container 3760/7840/9200pcs



LITHIUM SCISSORS SF4A704-1 **NEW**

Battery Voltage 20V
 Battery Capacity 2.0-8.0Ah
 Max Cutting Diameter 28mm
 Rated Input Power 140W
 Quantity Per Carton 8pcs
 N.W./G.W 6/12kg (13.2/26.4 lb)
 Carton Size 51.5x35x33cm(BMC)
 Pcs/Container 3760/7840/9200pcs



LITHIUM SCISSORS SF4A705 **NEW**

Battery Voltage 20V
 Battery Capacity 2.0-8.0Ah
 Max Cutting Diameter 30mm
 Rated Input Power 160W
 Quantity Per Carton 6pcs
 N.W./G.W 5.5/11kg (12.1/22 lb)
 Carton Size 52x33x26.5cm(BMC)
 Pcs/Container 3690/7680/9000pcs



LITHIUM SCISSORS SF4A706 **NEW**

Battery Voltage 20V
 Battery Capacity 2.0-8.0Ah
 Max Cutting Diameter 40mm
 Rated Input Power 200W
 Quantity Per Carton 6pcs
 N.W./G.W 6/11kg (13.2/24.2 lb)
 Carton Size 57x36x29cm(BMC)
 Pcs/Container 2820/5850/6870pcs



LED LIGHT



NEW

PORTABLE POWER STATION & CHARGER

	SF8M299-1	SF8M299-2	SF8M299-3	SF8M299-4
AC Input	110V	220V	110V~240V	110V~240V
Battery Input	20V Battery	20V Battery	20V Battery	20V Battery
AC Output	110V 300W	220V 300W	220V 300W	110V 300W
DC Output	12V/5A(Max 10A)	12V/5A(Max 10A)	12V/5A(Max 10A)	12V/5A(Max 10A)
USB Output	5V/2.1A	5V/2.1A	5V/2.1A	5V/2.1A
Type-C Output	5~12V/18W	5~12V/18W	5~12V/18W	5~12V/18W
LED Light Brightness	2 levels(6W/10W)	2 levels(6W/10W)	2 levels(6W/10W)	2 levels(6W/10W)
Charging Current	Max 2A (Slots 1&2 share 2A totally)	Max 2A (Slots 1&2 share 2A totally)	Max 2A (Slots 1&2 share 2A totally)	Max 2A (Slots 1&2 share 2A totally)
N.W./G.W	12/13kg	12/13kg	12/13kg	12/13kg
Quantity Per Carton	6pcs	6pcs	6pcs	6pcs
Packing Size	47x29x39cm	47x29x39cm	47x29x39cm	47x29x39cm
Pcs/Container	3156/6552/7680pcs	3156/6552/7680pcs	3156/6552/7680pcs	3156/6552/7680pcs




NEW


	SF8M300-1	SF8M300-2	SF8M300-3	SF8M300-4
AC Input	110V	220V	110V~240V	110V~240V
Battery Input	20V Battery	20V Battery	20V Battery	20V Battery
AC Output	110V 300W	220V 300W	220V 300W	110V 300W
DC Output	12V/5A(Max 10A)	12V/5A(Max 10A)	12V/5A(Max 10A)	12V/5A(Max 10A)
USB Output	5V/2.1A	5V/2.1A	5V/2.1A	5V/2.1A
Type-C Output	5~12V/18W	5~12V/18W	5~12V/18W	5~12V/18W
LED Light Brightness	2 levels(6W/10W)	2 levels(6W/10W)	2 levels(6W/10W)	2 levels(6W/10W)
Charging Current	Max 2A (Slots 1&2 share 2A totally, Slots 3&4 share 2A totally)	Max 2A (Slots 1&2 share 2A totally, Slots 3&4 share 2A totally)	Max 2A (Slots 1&2 share 2A totally, Slots 3&4 share 2A totally)	Max 2A (Slots 1&2 share 2A totally, Slots 3&4 share 2A totally)
N.W./G.W	12/13kg	12/13kg	12/13kg	12/13kg
Quantity Per Carton	6pcs	6pcs	6pcs	6pcs
Packing Size	47x29x39cm	47x29x39cm	47x29x39cm	47x29x39cm
Pcs/Container	3156/6552/7680pcs	3156/6552/7680pcs	3156/6552/7680pcs	3156/6552/7680pcs





NEW


	SF8M301-1	SF8M301-2	SF8M301-3	SF8M301-3
AC Input	110V	220V	110V~240V	110V~240V
Battery Input	20V Battery	20V Battery	20V Battery	20V Battery
AC Output	110V 300W	220V 300W	220V 300W	110V 300W
DC Output	12V/5A(Max 10A)	12V/5A(Max 10A)	12V/5A(Max 10A)	12V/5A(Max 10A)
USB Output	5V/2.1A	5V/2.1A	5V/2.1A	5V/2.1A
Type-C Output	5~12V/18W	5~12V/18W	5~12V/18W	5~12V/18W
LED Light Brightness	2 levels(6W/10W)	2 levels(6W/10W)	2 levels(6W/10W)	2 levels(6W/10W)
Charging Current	Max 2A (Slots 1&2 share 2A totally, Slots 3&4 share 2A totally)	Max 2A (Slots 1&2 share 2A totally, Slots 3&4 share 2A totally)	Max 2A (Slots 1&2 share 2A totally, Slots 3&4 share 2A totally)	Max 2A (Slots 1&2 share 2A totally, Slots 3&4 share 2A totally)
N.W./G.W	12/13kg	12/13kg	12/13kg	12/13kg
Quantity Per Carton	6pcs	6pcs	6pcs	6pcs
Packing Size	47x29x39cm	47x29x39cm	47x29x39cm	47x29x39cm
Pcs/Container	3156/6552/7680pcs	3156/6552/7680pcs	3156/6552/7680pcs	3156/6552/7680pcs


	Li-Ion BATTERY SF8M169 <input type="checkbox"/> Intertek <input checked="" type="checkbox"/> CE <input type="checkbox"/> RoHS
	Rated Voltage:20V Battery cells:21700 Type-C Optional Battery Capacity Qty Per Carton:20pcs Packing Size:28.6x20.4x34cm
	<input checked="" type="checkbox"/> 3.0Ah <input checked="" type="checkbox"/> 4.0Ah <input checked="" type="checkbox"/> 5.0Ah 21700 CELL

	Li-Ion BATTERY SF8M170 <input type="checkbox"/> Intertek <input checked="" type="checkbox"/> CE <input type="checkbox"/> RoHS
	Rated Voltage:20V Battery cells:21700 Type-C Optional Battery Capacity Qty Per Carton:30pcs Packing Size:28.5x27.5x43cm
	<input checked="" type="checkbox"/> 6.0Ah <input checked="" type="checkbox"/> 8.0Ah <input checked="" type="checkbox"/> 10.0Ah 21700 CELL


	Li-Ion BATTERY SF8M176 <input type="checkbox"/> Intertek <input checked="" type="checkbox"/> CE <input type="checkbox"/> RoHS
	Rated Voltage:20V Type-C Optional Battery Capacity Qty Per Carton:40pcs Packing Size:34x30x27cm
	<input checked="" type="checkbox"/> 2.0Ah <input checked="" type="checkbox"/> 2.5Ah

	Li-Ion BATTERY SF8M177 <input type="checkbox"/> Intertek <input checked="" type="checkbox"/> CE <input type="checkbox"/> RoHS
	Rated Voltage:20V Type-C Optional Battery Capacity Qty Per Carton:20pcs Packing Size:40x18x27cm
	<input checked="" type="checkbox"/> 3.0Ah <input checked="" type="checkbox"/> 4.0Ah <input checked="" type="checkbox"/> 5.0Ah


	Li-Ion BATTERY SF8M151 <input type="checkbox"/> Intertek <input checked="" type="checkbox"/> CE <input type="checkbox"/> RoHS
	Rated Voltage:20V Qty Per Carton:30pcs Packing Size:25x27x26cm Battery Capacity
	<input checked="" type="checkbox"/> 1.5Ah <input checked="" type="checkbox"/> 2.0Ah <input checked="" type="checkbox"/> 2.5Ah


	Li-Ion BATTERY SF8M152 <input type="checkbox"/> Intertek <input checked="" type="checkbox"/> CE <input type="checkbox"/> RoHS
	Rated Voltage:20V Qty Per Carton:30pcs Packing Size:28.6x20.4x34cm Battery Capacity
	<input checked="" type="checkbox"/> 3.0Ah <input checked="" type="checkbox"/> 4.0Ah <input checked="" type="checkbox"/> 5.0Ah


	Li-Ion BATTERY SF8M125 <input type="checkbox"/> Intertek <input checked="" type="checkbox"/> CE <input type="checkbox"/> RoHS
	Rated Voltage:20V Qty Per Carton:60pcs Packing Size:25x27x36cm Battery Capacity
	<input checked="" type="checkbox"/> 1.5Ah <input checked="" type="checkbox"/> 2.0Ah <input checked="" type="checkbox"/> 2.5Ah


	Li-Ion BATTERY SF8M116 <input type="checkbox"/> Intertek <input checked="" type="checkbox"/> CE <input type="checkbox"/> RoHS
	Rated Voltage:20V Qty Per Carton:40pcs Packing Size:37x34x27cm Battery Capacity
	<input checked="" type="checkbox"/> 3.0Ah <input checked="" type="checkbox"/> 4.0Ah <input checked="" type="checkbox"/> 5.0Ah


	CHARGER SF8M257 <input type="checkbox"/> GS <input type="checkbox"/> CE <input type="checkbox"/> RoHS
	Rated Voltage:20V Type-C Optional Qty Per Carton:50pcs Packing Size:65x44.5x41cm
	<input checked="" type="checkbox"/> Current:4.0A Cable Length:1.5M <input checked="" type="checkbox"/> Current:4.0A Cable Length:70.92"

	CHARGER SF8M226 <input checked="" type="checkbox"/> Intertek <input checked="" type="checkbox"/> CE <input checked="" type="checkbox"/> RoHS
	Rated Voltage:20V Qty Per Carton:60pcs Packing Size:36x31x27cm Current:1.5A Cable Length:1.5M



	CHARGER SF8M222 <input checked="" type="checkbox"/> GS <input checked="" type="checkbox"/> CE <input checked="" type="checkbox"/> RoHS
	Rated Voltage:20V Qty Per Carton:50pcs Packing Size:54.5x37x36cm
	<input checked="" type="checkbox"/> Current:1.8A Cable Length:1.5M <input checked="" type="checkbox"/> Current:1.5A Cable Length:70.92"



	CHARGER SF8M248 <input checked="" type="checkbox"/> GS <input checked="" type="checkbox"/> CE <input checked="" type="checkbox"/> RoHS
	Rated Voltage:20V Type-C Optional Qty Per Carton:50pcs Packing Size:54.5x37x36cm
	<input checked="" type="checkbox"/> Current:2A Cable Length:1.5M <input checked="" type="checkbox"/> Current:3A Cable Length:70.92"



	CHARGER SF8M243 <input checked="" type="checkbox"/> GS <input checked="" type="checkbox"/> CE <input checked="" type="checkbox"/> RoHS
	Rated Voltage:20V USB Optional Qty Per Carton:30pcs Packing Size:48x41x37cm
	<input checked="" type="checkbox"/> Current:1.5A Cable Length:1.5M <input checked="" type="checkbox"/> Current:1.5A Cable Length:70.92"



	CHARGER SF8M249 <input checked="" type="checkbox"/> GS <input checked="" type="checkbox"/> CE <input checked="" type="checkbox"/> RoHS
	Rated Voltage:20V Type-C Optional Qty Per Carton:20pcs Packing Size:49.4x29.6x38cm
	<input checked="" type="checkbox"/> Current:2.5/4.0A Cable Length:1.5M <input checked="" type="checkbox"/> Current:2.5/4.0A Cable Length:70.92"



	CHARGER SF8M246 <input type="checkbox"/> Intertek <input type="checkbox"/> CE <input type="checkbox"/> RoHS
	Rated Voltage:20V Qty Per Carton:30pcs Packing Size:36x30.4x34cm Current:2.0A Cable Length:1.5M(59.1")



	<p>Li-ion BATTERY SF8M172</p> <p>Rated Voltage:20V Battery cells:21700 Type-C Optional Battery Capacity Qty Per Carton:20pcs Packing Size:28.6x20.4x34cm</p> <p>✓3.0Ah ✓4.0Ah ✓5.0Ah</p> <p>21700 CELL </p>	<input type="checkbox"/> Intertek <input checked="" type="checkbox"/> GS <input checked="" type="checkbox"/> CE <input type="checkbox"/> ETL



	<p>Li-ion BATTERY SF8M173</p> <p>Rated Voltage:20V Battery cells:21700 Type-C Optional Battery Capacity Qty Per Carton:20pcs Packing Size:28.5x20.4x45cm</p> <p>✓6.0Ah ✓8.0Ah ✓10.0Ah</p> <p>21700 CELL </p>	<input type="checkbox"/> Intertek <input checked="" type="checkbox"/> GS <input checked="" type="checkbox"/> CE <input type="checkbox"/> ETL



	<p>Li-ion BATTERY SF8M174</p> <p>Rated Voltage:20V Type-C Optional Battery Capacity Qty Per Carton:40pcs Packing Size:34x30x27cm</p> <p>✓1.5Ah ✓2.0Ah ✓2.5Ah</p> <p></p>	<input type="checkbox"/> Intertek <input checked="" type="checkbox"/> GS <input checked="" type="checkbox"/> CE <input type="checkbox"/> ETL

	<p>Li-ion BATTERY SF8M175</p> <p>Rated Voltage:20V Type-C Optional Battery Capacity Qty Per Carton:20pcs Packing Size:40x18x27cm</p> <p>✓3.0Ah ✓4.0Ah ✓5.0Ah</p> <p></p>	<input type="checkbox"/> Intertek <input checked="" type="checkbox"/> GS <input checked="" type="checkbox"/> CE <input type="checkbox"/> ETL

	<p>Li-ion BATTERY SF8M159</p> <p>Rated Voltage:20V Qty Per Carton:30pcs Packing Size:25x26x28.5cm</p> <p>Battery Capacity</p> <p>✓1.5Ah ✓2.0Ah ✓2.5Ah</p> <p></p>	<input type="checkbox"/> Intertek <input checked="" type="checkbox"/> GS <input type="checkbox"/> CE <input type="checkbox"/> ETL



	<p>Li-ion BATTERY SF8M163</p> <p>Rated Voltage:20V Qty Per Carton:30pcs Packing Size:25x26x38.5cm</p> <p>Battery Capacity</p> <p>✓3.0Ah ✓4.0Ah ✓5.0Ah</p> <p></p>	<input type="checkbox"/> Intertek <input checked="" type="checkbox"/> GS <input type="checkbox"/> CE <input type="checkbox"/> ETL



	<p>Li-ion BATTERY SF8M161</p> <p>Rated Voltage:20V Qty Per Carton:20pcs Packing Size:43x21x27cm</p> <p>Battery Capacity</p> <p>✓6.0Ah ✓7.5Ah</p> <p></p>	<input type="checkbox"/> Intertek <input checked="" type="checkbox"/> GS <input type="checkbox"/> CE <input type="checkbox"/> ETL

	<p>CHARGER SF8M248M</p> <p>Rated Voltage:20V Qty Per Carton:50pcs Packing Size:54.5x37x36cm</p> <p>Current:2.0A Cable Length:1.5M Current:2.0A Cable Length:70.92"</p> <p></p>	<input checked="" type="checkbox"/> GS <input checked="" type="checkbox"/> CE <input checked="" type="checkbox"/> ETL


	<p>CHARGER SF8M258</p> <p>Rated Voltage:20V Type-C Optional Qty Per Carton:50pcs Packing Size:65x44x41cm</p> <p>Current:4.0A Cable Length:1.5M Current:4.0A Cable Length:70.92"</p> <p></p>	<input checked="" type="checkbox"/> GS <input checked="" type="checkbox"/> CE <input checked="" type="checkbox"/> ETL

	<p>CHARGER SF8M251</p> <p>Rated Voltage:20V Qty Per Carton:60pcs Packing Size:33x32x33cm</p> <p>Current:1.0A Cable Length:1.5M(59.1")</p> <p></p>	<input type="checkbox"/> Intertek <input checked="" type="checkbox"/> GS <input type="checkbox"/> CE <input type="checkbox"/> ETL

	<p>CHARGER SF8M245</p> <p>Rated Voltage:20V Qty Per Carton:30pcs Packing Size:36x30.5x34cm</p> <p>Current:2.0A Cable Length:1.5M(59.1")</p> <p></p>	<input type="checkbox"/> Intertek <input checked="" type="checkbox"/> GS <input type="checkbox"/> CE <input type="checkbox"/> ETL

	<p>CHARGER SF8M250</p> <p>Rated Voltage:20V Type-C Optional Qty Per Carton:20pcs Packing Size:49.4x29.6x38cm</p> <p>Current:2.5/4.0A Cable Length:1.5M Current:2.5/4.0A Cable Length:70.92"</p> <p></p>	<input checked="" type="checkbox"/> GS <input checked="" type="checkbox"/> CE <input checked="" type="checkbox"/> ETL

	<p>CHARGER SF8M261</p> <p>Rated Voltage:20V Qty Per Carton:20pcs Packing Size:49.4x29.6x38cm</p> <p>Current:2.0A Cable Length:1.5M</p> <p></p>	<input checked="" type="checkbox"/> GS <input type="checkbox"/> CE <input type="checkbox"/> ETL

	<p>CHARGER SF8M268</p> <p>Rated Voltage:20V Qty Per Carton:30pcs Packing Size:36x30.4x34cm</p> <p>Current:4.0A Cable Length:1.5M</p> <p></p>	<input checked="" type="checkbox"/> GS <input type="checkbox"/> CE <input type="checkbox"/> ETL




contact@ziasourcing.com



+8619700338590



www.ziasourcing.com

	<p>LI-ION BATTERY SF8M190</p> <p>Rated Voltage:80V Battery Capacity: 3.0Ah 4.0Ah Net Weight:1.6kg Packing Size:19.4x11.6x9.3cm</p>	80V


	<p>CHARGER SF8M254</p> <p>Rated Voltage:200-240V Current:4A Cable Length:150mm Net Weight:0.6kg Packing Size:19.1x14.6x9cm</p>	80V

	<p>BACKPACK BATTERY SF8M902</p> <p>Rated Voltage:48V Battery Capacity: 12.0Ah 20.0Ah Net Weight:5.2kg Packing Size:32.5x32x14cm</p>	48V

	<p>RUCKSACK BATTERY SF8L902</p> <p>Rated Voltage:20V Battery Tank Position:1-4pcs</p> <p>Battery Capacity: 8.0Ah 10.0Ah 12.0Ah 16.0Ah 24.0Ah 32.0Ah</p> <p>Cable Length:600mm Net Weight:2.78kg Packing Size:41.3x27.8x19.5cm</p>	<p>Rated Voltage:40V Battery Tank Position:1-4pcs(2Sets)</p> <p>Battery Capacity: 4.0Ah 5.0Ah 6.0Ah 8.0Ah 12.0Ah 16.0Ah</p> <p>Cable Length:600mm Net Weight:2.78kg Packing Size:41.3x27.8x19.5cm</p>	

	<p>LI-ION BATTERY SF8M171</p> <p>Rated Voltage:40V Battery Capacity <input checked="" type="checkbox"/> 4.0Ah <input checked="" type="checkbox"/> 5.0Ah</p> <p>Battery cells:18650 Qty Per Carton:40pcs Packing Size:44x37x35cm</p>	40V

	<p>CHARGER SF8M256</p> <p>Rated Voltage:40V Current:2.0A Cable Length:1.5M(59.1") Qty Per Carton:36pcs Packing Size:39x27x30cm</p>	40V

	<p>LI-ION BATTERY SF8M191</p> <p>Rated Voltage:60V Battery Capacity:4.0/5.0Ah <input checked="" type="checkbox"/> 4.0Ah <input checked="" type="checkbox"/> 5.0Ah</p> <p>Battery cells:21700 Qty Per Carton:10pcs Packing Size:59.5x19.5x21.5cm</p>	60V

	<p>LI-ION BATTERY SF8M192</p> <p>Rated Voltage:60V Battery Capacity:8.0Ah <input checked="" type="checkbox"/> 8.0Ah</p> <p>Battery cells:21700 Qty Per Carton:6pcs Packing Size:47.5x19.5x26cm</p>	60V

	<p>CHARGER SF8M253</p> <p>Rated Voltage:60V Current:4.0A Cable Length:1.5M(59.1") Qty Per Carton:10pcs Packing Size:63x27.5x36cm</p>	60V



ELECTRIC SERIES

FEATURES

- 3000W HIGH POWER CAN INSTEAD OF GASOLINE CHAIN SAW 58CC
- SOFT RUBBER ON HANDLE
- BIG OIL WINDOW
- BRUSHLESS MOTOR



ELECTRIC CHAIN SAW
SF7J179 NEW

Rated Voltage	220-240V
Frequency	50Hz
Motor	Brushless
Power	3000W
Chain Speed	11m/s
Bar Length	20"/22"
Double Safety Brake	Yes
Auto Lubricate	Yes
Quantity Per Carton	1pc
N.W./G.W.	5,6/6.0kg(12.3/13.64 lb)
Packing Size	70x26x18cm(27.6"x10.2"x7.1")
Pcs/Container	840pcs/1760pcs/2060pcs
(20'/40'/40'HQ)	



CE



ELECTRIC CHAIN SAW
SF7J178 NEW

Rated Voltage	230-240V
Frequency	50Hz
Power	1400/1600W
Chain Speed	14.9m/s
Bar Length	14"
Double Safety Brake	Yes
Auto Lubricate	Yes
Quantity Per Carton	2pcs
N.W./G.W.	11/11.65kg(24.2/25.6 lb)
Packing Size	50x38x22cm(19.6"x16.5"x8.7")
Pcs/Container	373pcs/2514pcs/2952pcs
(20'/40'/40'HQ)	

CE



ELECTRIC CHAIN SAW
SF7J170

Rated Voltage	220-240V/120V
Rated Frequency	50Hz/60Hz
Rated Input Power	1600W/1800W/2000W 2200W/2400W/11-13A
Bar Length	14"/16"/18"
Double Safety Brake	Yes
Auto Lubricate	Yes
Chain Speed	15m/s
Max Cutting Length	355/395/440mm
Quantity Per Carton	2pcs
N.W./G.W.	11/11.65kg(24.2/25.6 lb)
Packing Size	49.5x42x22cm(19.5"x16.5"x8.7")
Pcs/Container	1203pcs/2514pcs/2952pcs
(20'/40'/40'HQ)	

FEATURES

- TOOL FREE CHAIN TENSION
- AUTO LUBRICATION
- SOFT RUBBER HANDLE

CE



ELECTRIC CHAIN SAW
SF7J153

Rated Voltage	220-240V/120V
Rated Frequency	50Hz/60Hz
Rated Input Power	1400W/1600W 1800W 14"/16"
Bar Length	14"/16"
Double Safety Brake	Yes
Auto Lubricate	Yes
Chain Speed	15m/s
Max Cutting Length	355mm/395mm
Quantity Per Carton	2pcs
N.W./G.W.	8.4/11kg(18.5/24.2 lb)
Packing Size	50x40.5x23cm(19.5"x16.5"x8.9")
Pcs/Container	1176pcs/2458pcs/2886pcs
(20'/40'/40'HQ)	



Oil Output Indicator LED Light Indicator



ELECTRIC CHAIN SAW
SF7J151

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 1600W/1800W/2000W
 2200W/2400W/13A
 14"/16"/18"
 Bar Length
 Double Safety Brake Yes
 Auto Lubricate Yes
 Chain Speed 15m/s
 Max Cutting Length 355/395/440mm
 Quantity Per Carton 2pcs
 N.W./G.W. 11/11.65kg(24.2/25.6 lb)
 Packing Size 49.5x39.5x22cm(19.5"x15.5"x8.6")
 Pcs/Container 1203pcs/2514pcs/2952pcs
 (20'/40'/40'HQ)



Global first low oil warning system SAFUN exclusive patent design



ELECTRIC CHAIN SAW
SF7J141

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 2400W/2200W/1800W
 1600W/1400W/15A
 14"/16"/18"
 Bar Length
 Double Safety Brake Yes
 Auto Lubricate Yes
 Chain Speed 13m/s
 Max Cutting Length 355/395/440mm
 Quantity Per Carton 2pcs
 N.W./G.W. 13.6/14.2kg(29.9/31.2 lb)
 Packing Size 51.5x45x23cm(20.1"x17.7"x9.1")
 Pcs/Container 1042pcs/2179pcs/2559pcs
 (20'/40'/40'HQ)



ELECTRIC CHAIN SAW
SF7J112

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 2200W/2000W/1800W
 1600W/1400W/13A
 14"/16"
 Bar Length
 Double Safety Brake Yes
 Auto Lubricate Yes
 Chain Speed 13.1m/s
 Max Cutting Length 355/395mm
 Quantity Per Carton 2pcs
 N.W./G.W. 11.2/13kg(24.6/28.6 lb)
 Packing Size 47x42x21.5cm(18.9"x16.5"x8.4")
 Pcs/Container 1269pcs/2653pcs/3115pcs
 (20'/40'/40'HQ)



ELECTRIC CHAIN SAW
SF7J102

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 2400W/2200W/2000W
 1800W/1600W/13A
 14"/16"/18"
 Bar Length
 Double Safety Brake Yes
 Auto Lubricate Yes
 Chain Speed 14m/s
 Max Cutting Length 355/395/440mm
 Quantity Per Carton 2pcs
 N.W./G.W. 11.2/13kg(24.6/28.6 lb)
 Packing Size 48.5x39.5x9cm(19.3"x15.4"x11.2")
 Pcs/Container 1010pcs/2112pcs/2479pcs
 (20'/40'/40'HQ)



ELECTRIC CHAIN SAW
SF7J135

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 2200W/2000W/1800W
 1600W/1400W/13A
 14"/16"
 Bar Length
 Double Safety Brake Yes
 Auto Lubricate Yes
 Chain Speed 13.1m/s
 Max Cutting Length 355/395mm
 Quantity Per Carton 2pcs
 N.W./G.W. 11.6/12.35kg(25.5/27.2 lb)
 Packing Size 49.5x42x22.5cm(19.5"x16.5"x8.9")
 Pcs/Container 1176pcs/2458pcs/2886pcs
 (20'/40'/40'HQ)



ELECTRIC CHAIN SAW
SF7J157

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 2400W/2200W
 2000W/1800W/15A
 16"/18"
 Bar Length
 Double Safety Brake Yes
 Auto Lubricate Yes
 Chain Speed 15.8m/s
 Max Cutting Length 395/440mm
 Quantity Per Carton 2pcs
 N.W./G.W. 12.54/13.17kg(27.6/29 lb)
 Packing Size 56.5x39x23.5cm(22.2"x15.35"x9.25")
 Pcs/Container 1060pcs/2210pcs/2600pcs
 (20'/40'/40'HQ)



ELECTRIC CHAIN SAW
SF7J139

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 2400W/2200W
 2000W/1800W/15A
 16"/18"
 Bar Length
 Double Safety Brake Yes
 Auto Lubricate Yes
 Chain Speed 13m/s
 Max Cutting Length 395/440mm
 Quantity Per Carton 2pcs
 N.W./G.W. 12.2/13.4kg(26.8/29.5 lb)
 Packing Size 49.5x40.5x21.5cm(19.5"x15.6"x8.5")
 Pcs/Container 1308pcs/2736pcs/3211pcs
 (20'/40'/40'HQ)



ELECTRIC CHAIN SAW
SF7J132

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 2400W/2200W
 2000W/1800W/15A
 16"/18"
 Bar Length
 Double Safety Brake Yes
 Auto Lubricate Yes
 Chain Speed 13.1m/s
 Max Cutting Length 395/440mm
 Quantity Per Carton 2pcs
 N.W./G.W. 12.4/13kg(27.3/28.6 lb)
 Packing Size 57x36x23.5cm(22.5"x14.2"x9.3")
 Pcs/Container 1141pcs/2385pcs/2800pcs
 (20'/40'/40'HQ)



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com



ELECTRIC CHAIN SAW
SF7J103

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 2400W/2200W/2000W
 1800W/1600W/15A
 147/167/18"
 Yes
 Bar Length 15m/s
 Double Safety Brake 355/395/440mm
 Auto Lubricate 2pcs
 Chain Speed 11.5/13.2kg(25.3/29 lb)
 Max Cutting Length 55x38.5x22cm(21.7"x15.2"x8.5")
 Quantity Per Carton 1208pcs/2526pcs/2965pcs
 N.W./G.W.
 Packing Size
 Pcs/Container (20/40/40HQ)

FEATURES
 ■ AL ALLOY GEAR BOX



ELECTRIC CHAIN SAW
SF7J156

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 1200W/1400W/9A
 127/14"
 No
 Bar Length 15m/s
 Double Safety Brake 300/355mm
 Auto Lubricate Yes
 Chain Speed 15m/s
 Max Cutting Length 300/355mm
 Quantity Per Carton 4pcs
 N.W./G.W. 17.5/18.5kg(38.5/40.7 lb)
 Packing Size 44.5x38x43.5cm(17.5"x15"x17.1")
 Pcs/Container 1500pcs/3132pcs/3676pcs
 (20/40/40HQ)



ELECTRIC CHAIN SAW
SF7J101

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 2400W/2200W/2000W
 1800W/1600W/15A
 167/18"
 Yes
 Bar Length 15m/s
 Double Safety Brake 395/440mm
 Auto Lubricate 2pcs
 Chain Speed 10.5/12.5kg(23.1/27.5 lb)
 Max Cutting Length 57x36x23cm(22.5"x14.2"x9.1")
 Quantity Per Carton 1165pcs/2437pcs/2860pcs
 N.W./G.W.
 Packing Size
 Pcs/Container (20/40/40HQ)

FEATURES
 ■ TOOL FREE CHAIN TENSION
 ■ AUTO LUBRICATION
 ■ METAL GEAR
 ■ BIG TORQUE
 ■ SOFT RUBBER HANDLE
 ■ AL ALLOY GEAR BOX



ELECTRIC CHAIN SAW
SF7J169

Rated Voltage 220-240V/120V
 Frequency 50Hz/60Hz
 Rated Power 1600W/11A
 16"
 5600rpm
 Chain Speed 11.2m/s
 Oil Volume 180ML
 Max Cutting Length 368mm
 Auto Lubricate Yes
 Double Safety Brake No
 Quantity Per Carton 1pc
 N.W./G.W. 4/4.5kg(8.8/9.9 lb)
 Packing Size 42x24x19cm(16.5"x9.5"x7.5")
 Pcs/Container 1436pcs/3000pcs/3500pcs
 (20/40/40HQ)



ELECTRIC CHAIN SAW
SF7J160

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 1400W/1600W/12A
 147/16"
 Yes
 Bar Length 15m/s
 Double Safety Brake 345/395mm
 Auto Lubricate Yes
 Chain Speed 15m/s
 Max Cutting Length 345/395mm
 Quantity Per Carton 1pc
 N.W./G.W. 3.86/4.5kg(8.5/9.9 lb)
 Packing Size 51x24x24cm(20.1"x7.5"x8.7")
 Pcs/Container 1140pcs/2382pcs/2800pcs
 (20/40/40HQ)



ELECTRIC CHAIN SAW
SF7J161

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 1800W/2200W/12A
 147/16"
 No
 Bar Length 15m/s
 Double Safety Brake 345/395mm
 Auto Lubricate Yes
 Chain Speed 15m/s
 Max Cutting Length 345/395mm
 Quantity Per Carton 2pcs
 N.W./G.W. 4.8/5.3kg(10.6/11.66 lb)
 Packing Size 56.5x50x26cm(22.3"x19.7"x10.2")
 Pcs/Container 1128pcs/2360pcs/2770pcs
 (20/40/40HQ)



ELECTRIC CHAIN SAW
SF7J159

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 1200W/1400W/9A
 127/14"
 No
 Bar Length 15m/s
 Double Safety Brake 300/355mm
 Auto Lubricate Yes
 Chain Speed 15m/s
 Max Cutting Length 300/355mm
 Quantity Per Carton 4pcs
 N.W./G.W. 17.5/18.5kg(38.5/40.7 lb)
 Packing Size 44.5x38x43.5cm(17.5"x15"x17.1")
 Pcs/Container 1500pcs/3132pcs/3676pcs
 (20/40/40HQ)



ELECTRIC CHAIN SAW
SF7J304

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 600W/5A
 8"
 Yes
 Bar Length 8.4m/s
 Auto Lubricate 100mm
 Chain Speed 100mm
 Max Cutting Length 100mm
 Quantity Per Carton 2pcs
 N.W./G.W. 10.8/11.7kg(23.8/25.7 lb)
 Packing Size 105x30.5x22.5cm(41.4"x12"x8.9")
 Pcs/Container 767pcs/7603pcs/1882pcs
 (20/40/40HQ)



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com



ELECTRIC CHAIN SHARPENER
SF7C108

Rated Voltage 220-240V
 Rated Frequency 50Hz
 Rated Input Power 85W
 No-load Speed 5000r/min
 Grinding Wheel 104x22.2x3.2/4.5mm
 (4.10"x0.87"x0.12"/0.18")
 Quantity Per Carton 4pcs
 N.W./G.W. 8/12kg(17.6/26.4 lb)
 Packing Size 41x26x36cm(16.14"x10.23"x14.17")
 Pcs/Container 2872pcs/6000pcs/7048pcs
 (20'/40'/40'HQ)

FEATURES
 ■ ALUMINUM BASE



DIRECT-CURRENT DYNAMO
PATENT DESIGN BY SAFUN



ELECTRIC CHAIN SHARPENER
SF7C106

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 85W/0.6A
 No-load Speed 5000r/min
 Grinding Wheel 104x22.2x3.2/4.5mm
 (4.10"x0.87"x0.12"/0.18")
 Quantity Per Carton 4pcs
 N.W./G.W. 9/13kg(19.8/28.6 lb)
 Packing Size 36x28x46cm(15"x14.2"x17.3")
 Pcs/Container 2748pcs/5744pcs/6744pcs
 (20'/40'/40'HQ)



DIRECT-CURRENT DYNAMO
 ALUMINUM BASE



ELECTRIC CHAIN SHARPENER
SF7C101

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 85W/0.6A
 No-load Speed 5500r/min
 Grinding Wheel 104x22.2x3.2/4.5mm
 (4.10"x0.87"x0.12"/0.18")
 Quantity Per Carton 4pcs
 N.W./G.W. 7.6/9.6kg(16.7/21.1 lb)
 Packing Size 39.5x27.5x38cm(15.3"x10.6"x15")
 Pcs/Container 2780pcs/5760pcs/6760pcs
 (20'/40'/40'HQ)



ELECTRIC CHAIN SHARPENER
JIM-KW-100

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 180W/1.5A
 No-load Speed 6300r/min
 Grinding Wheel 100x10x3.2/4.5mm
 (3.94"x0.39"x0.12"/0.18")
 Quantity Per Carton 4pcs
 N.W./G.W. 8.8/12.8kg(19.4/28.2 lb)
 Packing Size 36x32x44cm(14.2"x12.6"x17.3")
 Pcs/Container 2200pcs/4560pcs/5360pcs
 (20'/40'/40'HQ)



Tension quick assemble

Foldable Handle

Induction Motor



ELECTRIC LAWN MOWER
SF7A102

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 1000W/1200W/9A
 No-load Speed 2800r/min
 Max Cutting Length 320mm(13")
 Quantity Per Carton 1pc
 N.W./G.W. 11.8/13.8kg(26/30.4 lb)
 Packing Size 60.5x38x27cm(23.8"x15"x10.6")
 Pcs/Container 450pcs/930pcs/1080pcs
 (20'/40'/40'HQ)



Foldable Handle



ELECTRIC LAWN MOWER
SF7A107

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 1600W/13.5A
 No-load Speed 3300r/min
 Cutting Height 5 Settings(25-75mm)
 Max Cutting Length 380mm(15")
 Quantity Per Carton 1pc
 N.W./G.W. 11.5/12.5kg(25.3/27.5 lb)
 Packing Size 67x46.5x40cm(26.4"x17.3"x15")
 Pcs/Container 380pcs/750pcs/960pcs
 (20'/40'/40'HQ)



Foldable Handle



ELECTRIC LAWN MOWER
SF7A106

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 900W/1000W/1200W/1300W/8A
 No-load Speed 3300r/min
 Cutting Height 3 Settings(25/45/60mm)
 Max Cutting Length 330mm(13")
 Quantity Per Carton 1pc
 N.W./G.W. 11.5/12.5kg(25.3/27.5 lb)
 Packing Size 61x39.5x38cm(24"x15.6"x14.9")
 Pcs/Container 380pcs/750pcs/960pcs
 (20'/40'/40'HQ)



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com



ELECTRIC LAWN MOWER
SF7A109

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 900W/1000W/1200W/10A
 No-load Speed 3100r/min
 Cutting Height 3 Settings(25/45/60mm)
 Max Cutting Length 320mm(13")
 Quantity Per Carton 1pc
 N.W./G.W. 9.5/10.5kg(20.9/23.1 lb)
 Packing Size 60.5x38x29.5cm(23.8"x15"x11.6")
 Pcs/Container 435pcs/900pcs/1050pcs



ELECTRIC LAWN MOWER
SF7A113
SF7A103

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 900W/1000W/1200W/8A
 No-load Speed 3300r/min
 Max Cutting Length 320mm(13")
 Quantity Per Carton 1pc
 N.W./G.W. 9.5/10.5kg(20.9/23.1 lb)
 Packing Size 60.5x38x27cm(23.8"x15"x10.6")
 Pcs/Container 450pcs/930pcs/1080pcs

SF7A113 **SF7A103**



ELECTRIC LAWN MOWER
SF7A123

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 900W/1000W/1200W/10A
 No-load Speed 3300r/min
 Cutting Height 3 Settings(25/45/60mm)
 Max Cutting Length 320mm(13")
 Quantity Per Carton 1pc
 N.W./G.W. 9.5/10.5kg(20.9/23.1 lb)
 Packing Size 60.5x38x27cm(23.8"x15"x10.6")
 Pcs/Container 450pcs/930pcs/1080pcs



ELECTRIC LAWN MOWER
SF7A114
SF7A104

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 1400W/1500W/12.5A
 No-load Speed 3300r/min
 Cutting Height 25-75mm(1"-3")
 Max Cutting Length 370mm(15")
 Quantity Per Carton 1pc
 N.W./G.W. 11.5/12.5kg(25.3/27.5 lb)
 Packing Size 67x44x28cm(26.4"x17.3"x11")
 Pcs/Container 380pcs/750pcs/960pcs

SF7A114 **SF7A104**



ELECTRIC LAWN MOWER
SF7A115
SF7A105

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 1600W/1700W/1800W/13.5A
 No-load Speed 3200r/min
 Cutting Height 25-75mm(1"-3")
 Max Cutting Length 400mm(16")
 Quantity Per Carton 1pc
 N.W./G.W. 12.8/13.8kg(28.2/30.4 lb)
 Packing Size 71x48x29cm(28.3"x19.1"x11.4")
 Pcs/Container 350pcs/700pcs/900pcs

SF7A115 **SF7A105**



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com



SF7A232-1

ELECTRIC BRUSH CUTTER
SF7A232 NEW

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 1200W/1400W/9A
 No-load Blade Speed 10000r/min
 No-load Spool Speed 7500r/min
 Max Cutting Length 420mm(17")
 Nylon Diameter 1.6/2.0mm(0.065"/0.08")
 Line Length 5m(16.4 ft)
 Quantity Per Carton 1pc
 N.W./G.W. 6.7/7.9kg(14.7/17.4 lb)
 Packing Size 185x23x11cm(72.9"x9"x4.3")(One tube)
 Pcs/Container (20'/40'/40'HQ) 588pcs/1229pcs/1442pcs
 Packing Size 95x22x12cm
 (37.4"x8.7"x4.7")(Split tube)
 Pcs/Container (20'/40'/40'HQ) 1100pcs/2300pcs/2700pcs



ELECTRIC BRUSH CUTTER
SF7A227

Rated Voltage 220-240V
 Rated Frequency 50Hz
 Rated Input Power 1200W
 No-load Speed 7000r/min
 Max Cutting Width 380mm(15")
 Line Diameter 1.6/2.0mm(0.065"/0.08")
 Quantity Per Carton 1pc
 N.W./G.W. 4.65/5.05kg(10.2/11.1 lb)
 Packing Size 95x22x12cm
 (37.4"x8.7"x4.7")(Split tube)
 Pcs/Container (20'/40'/40'HQ) 1100pcs/2300pcs/2700pcs
 Packing Size 182x22x12cm
 (71.7"x8.7"x4.7")(One tube)
 Pcs/Container (20'/40'/40'HQ) 573pcs/1200pcs/1410pcs



ELECTRIC BRUSH CUTTER
SF7A231

Rated Voltage 230V
 Rated Frequency 50Hz
 Rated Input Power 1400W
 No-load Blade Speed 7500r/min
 No-load Spool Speed 7000r/min
 Max Cutting Length 380mm(15")
 Nylon Diameter 1.6/2.0mm(0.065"/0.08")
 Line Length 5m(16.4 ft)
 Quantity Per Carton 1pc
 N.W./G.W. 6.7/7.9kg(14.7/17.4 lb)
 Packing Size 99x23x11cm(39"x9"x4.3")
 (Split tube)
 Pcs/Container (20'/40'/40'HQ) 1098pcs/2296pcs/2695pcs



ELECTRIC GRASS TRIMMER
SF7A227-2

Rated Voltage 220-240V
 Rated Frequency 50Hz
 Rated Input Power 1200W
 No-load Speed 7500r/min
 Max Cutting Width 430mm(17")
 Line Diameter 1.6mm(0.065")
 Quantity Per Carton 1pc
 N.W./G.W. 4.75/5.2kg(10.5/11.4 lb)
 Packing Size 95x22x12cm
 (37.4"x8.7"x4.7")(Split tube)
 Pcs/Container (20'/40'/40'HQ) 1100pcs/2300pcs/2700pcs



SF7A230-2

ELECTRIC BRUSH CUTTER
SF7A230

Rated Voltage 230V
 Rated Frequency 50Hz
 Rated Input Power 1400W
 No-load Blade Speed 7500r/min
 No-load Spool Speed 7000r/min
 Max Cutting Length 380mm(15")
 Nylon Diameter 1.6/2.0mm(0.065"/0.08")
 Line Length 5m(16.4 ft)
 Quantity Per Carton 1pc
 N.W./G.W. 6.7/7.9kg(14.7/17.4 lb)
 Packing Size 99x23x11cm(39"x9"x4.3")
 (Split tube)
 Pcs/Container (20'/40'/40'HQ) 1098pcs/2296pcs/2695pcs



ELECTRIC BRUSH CUTTER
SF7A226

Rated Voltage 220-240V
 Rated Frequency 50Hz
 Rated Input Power 1200W
 No-load Speed 7000r/min
 Max Cutting Width 380mm(15")
 Line Diameter 1.6/2.0mm(0.065"/0.08")
 Quantity Per Carton 1pc
 N.W./G.W. 5.95/7.15kg(13.1/15.7 lb)
 Packing Size 94x22x12cm
 (37"x8.7"x4.7")(Split tube)
 Pcs/Container (20'/40'/40'HQ) 1108pcs/2317pcs/2720pcs
 Packing Size 182x23x11cm
 (71.7"x9"x4.3")(One tube)
 Pcs/Container (20'/40'/40'HQ) 600pcs/1250pcs/1480pcs



ELECTRIC BRUSH CUTTER
SF7A228

Rated Voltage 220-240V
 Rated Frequency 50Hz
 Rated Input Power 1200W
 No-load Speed 7000r/min
 Max Cutting Width 380mm(15")
 Line Diameter 1.6/2.0mm(0.065"/0.08")
 Quantity Per Carton 1pc
 N.W./G.W. 5.5/6.35kg(12.1/14 lb)
 Packing Size 95x22x12cm
 (37.4"x8.7"x4.7")(Split tube)
 Pcs/Container (20'/40'/40'HQ) 1100pcs/2300pcs/2700pcs
 Packing Size 182x22x12cm
 (71.7"x8.7"x4.7")(One tube)
 Pcs/Container (20'/40'/40'HQ) 573pcs/1200pcs/1410pcs



ELECTRIC BRUSH CUTTER
SF7A225-1

Rated Voltage 220-240V
 Rated Frequency 50Hz
 Rated Input Power 1200W
 No-load Speed 7000r/min
 Max Cutting Width 380mm(15")
 Line Diameter 1.6/2.0mm(0.065"/0.08")
 Quantity Per Carton 1pc
 N.W./G.W. 5.1/5.95kg
 Packing Size 94x22x12cm
 (37"x8.7"x4.7")(Split tube)
 Pcs/Container (20'/40'/40'HQ) 1108pcs/2317pcs/2720pcs
 Packing Size 182x23x11cm
 (71.7"x9"x4.3")(One tube)
 Pcs/Container (20'/40'/40'HQ) 600pcs/1250pcs/1480pcs



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com



ELECTRIC GRASS TRIMMER

SF7A225-2

Rated Voltage 220-240V
Rated Frequency 50Hz
Rated Input Power 1200W
No-load Speed 7500r/min
Max Cutting Width 430mm(17")
Line Diameter 1.6mm(0.065")
Quantity Per Carton 1pc
N.W./G.W. 4.35/5.15kg(9.6/11.3 lb)
Packing Size 94*22*12cm
(37"x8.7"x4.7") (Split tube)
1108pcs/2317pcs/2720pcs

Pcs/Container (20'/40'/40'HQ)
Packing Size 183x23x11cm
(72"x9"x4.3") (One tube)
604pcs/1252pcs/1468pcs



ELECTRIC BRUSH CUTTER

SF7A206

Rated Voltage 220-240V/120V
Rated Frequency 50Hz/60Hz
Rated Input Power 1200W/1400W/9A
No-load Blade Speed 10000r/min
No-load Spool Speed 7500r/min
Max Cutting Length 420mm(17")
Nylon Diameter 1.6/2.0mm(0.065"/0.08")
Line Length 5m(16.4 ft)
Quantity Per Carton 1pc
N.W./G.W. 7.2/8.4kg(15.8/18.5 lb)
Packing Size 72.9"x9"x4.3"
(One tube)
588pcs/1229pcs
/1442pcs

Pcs/Container (20'/40'/40'HQ)
Packing Size 185x23x11cm
(72.9"x9"x4.3")
(One tube)
588pcs/1229pcs
/1442pcs



ELECTRIC BRUSH CUTTER

SF7A214

Rated Voltage 220-240V/120V
Rated Frequency 50Hz/60Hz
Rated Input Power 1200W/1000W/10A
No-load Blade Speed 7500r/min
No-load Spool Speed 7500r/min
Max Cutting Length 420mm/380mm(17"/15")
Nylon Diameter 1.6/2.0mm(0.065"/0.08")
Line Length 5m(16.4 ft)
Quantity Per Carton 1pc
N.W./G.W. 5/6.6kg(11/14.5 lb)
Packing Size 94*22*12cm
(37"x8.7"x4.7") (Split tube)
1108pcs/2317pcs/2720pcs

Pcs/Container (20'/40'/40'HQ)
Packing Size 183x23x11cm
(72"x9"x4.3") (One tube)
594pcs/1242pcs/1458pcs



ELECTRIC BRUSH CUTTER

SF7A205S/T SF7A205B

Rated Voltage 220-240V/120V
Rated Frequency 50Hz/60Hz
Rated Input Power 1400W/1200W/9A
No-load Blade Speed 10000r/min
No-load Spool Speed 7500r/min
Max Cutting Length 420mm(17")
Nylon Diameter 1.6/2.0mm(0.065"/0.08")
Line Length 5m(16.4 ft)
Quantity Per Carton 1pc
N.W./G.W. 6.7/7.7kg(14.7/16.9 lb)
Packing Size 185x23x11cm
(72.9"x9"x4.3")
(One tube)
588pcs/1229pcs
/1442pcs

Pcs/Container (20'/40'/40'HQ)
Packing Size 185x23x11cm
(72.9"x9"x4.3")
(One tube)
588pcs/1229pcs
/1442pcs



ELECTRIC GRASS TRIMMER

SF7A214B-1

Rated Voltage 220-240V/120V
Rated Frequency 50Hz/60Hz
Rated Input Power 1200W/1000W/10A
No-load Blade Speed 7500r/min
No-load Spool Speed 3600r/min
Max Cutting Length 380mm(14")
Nylon Diameter 1.6/2.0mm(0.065"/0.08")
Line Length 5m(16.4 ft)
Quantity Per Carton 1pc
N.W./G.W. 5.2/6kg(11.4/13 lb)
Packing Size 94*22*12cm
(37"x8.7"x4.7") (Split tube)
1108pcs/2317pcs/2720pcs

Pcs/Container (20'/40'/40'HQ)
Packing Size 183x23x11cm
(72"x9"x4.3") (One tube)
604pcs/1252pcs/1468pcs



ELECTRIC BRUSH CUTTER

SF7A204S/T SF7A204B

Rated Voltage 220-240V/120V
Rated Frequency 50Hz/60Hz
Rated Input Power 1400W/1200W/9A
No-load Blade Speed 10000r/min
No-load Spool Speed 7500r/min
Max Cutting Length 420mm(17")
Nylon Diameter 1.6/2.0mm(0.065"/0.08")
Line Length 5m(16.4 ft)
Quantity Per Carton 1pc
N.W./G.W. 6.3/7.3kg(14.7/16.9 lb)
Packing Size 185x22x11cm
(72.9"x9"x4.3")
(One tube)
614pcs/1284pcs
/1508pcs

Pcs/Container (20'/40'/40'HQ)
Packing Size 185x22x11cm
(72.9"x9"x4.3")
(One tube)
614pcs/1284pcs
/1508pcs



ELECTRIC BRUSH CUTTER

SF7A207

Rated Voltage 220-240V/120V
Rated Frequency 50Hz/60Hz
Rated Input Power 1200W/1400W/9A
No-load Blade Speed 10000r/min
No-load Spool Speed 7500r/min
Max Cutting Length 420mm(17")
Nylon Diameter 1.6/2.0mm(0.065"/0.08")
Line Length 5m(16.4 ft)
Quantity Per Carton 1pc
N.W./G.W. 6.7/7.9kg(14.7/17.4 lb)
Packing Size 185x23x11cm
(72.9"x9"x4.3")
(One tube)
588pcs/1229pcs
/1442pcs

Pcs/Container (20'/40'/40'HQ)
Packing Size 185x23x11cm
(72.9"x9"x4.3")
(One tube)
588pcs/1229pcs
/1442pcs



ELECTRIC GRASS TRIMMER

SF7A229

Rated Voltage 220-240V/120V
Rated Frequency 50Hz/60Hz
Rated Input Power 300W/2.5A
No-load Spool Speed 11000r/min
Max Cutting Length 220mm(9")
Nylon Diameter 1.2mm(0.047")
Line Length 6m(19.7 ft)
Quantity Per Carton 6pcs
N.W./G.W. 10.5/11.3kg(23.1/24.9 lb)
Packing Size 50*40*30cm(19.7"x15.8"x11.8")
Pcs/Container (20'/40'/40'HQ)
2754pcs/5754pcs/6750pcs

Pcs/Container (20'/40'/40'HQ)
Packing Size 50*40*30cm(19.7"x15.8"x11.8")
2754pcs/5754pcs/6750pcs



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com



ELECTRIC GRASS TRIMMER
SF7A220

Rated Voltage 220-240V
 Rated Frequency 50Hz
 Rated Input Power 350W/300W
 No-load Spool Speed 10000r/min
 Max Cutting Length 1.2mm(0.047")
 Nylon Diameter 1pc
 Line Length 6m(19.7 ft)
 Quantity Per Carton 1pc
 N.W./G.W. 1.9/2.5kg(4.18/5.5 lb)
 Packing Size 59*22*16cm(23.3"x8.9"x6.3")
 Pcs/Container 1324pcs/2769pcs/3250pcs
 (20'/40'/40'HQ)



ELECTRIC GRASS TRIMMER
SF7A221

Rated Voltage 220-240V
 Rated Frequency 50Hz
 Rated Input Power 350W/300W
 No-load Spool Speed 10000r/min
 Max Cutting Length 250mm(10")
 Nylon Diameter 1.2mm(0.047")
 Line Length 6m(19.7 ft)
 Quantity Per Carton 1pc
 N.W./G.W. 2/2.6kg(4.4/5.72 lb)
 Packing Size 63.5*25*12.5cm(25"x9.9"x4.9")
 Pcs/Container 1386pcs/2898pcs/3402pcs
 (20'/40'/40'HQ)



ELECTRIC GRASS TRIMMER
SF7A222

Rated Voltage 220-240V
 Rated Frequency 50Hz
 Rated Input Power 450W/500W/550W
 No-load Spool Speed 10000r/min
 Max Cutting Length 300mm(12")
 Nylon Diameter 1.6mm(0.065")
 Line Length 5m(16.4 ft)
 Quantity Per Carton 1pc
 N.W./G.W. 3.6/4.2kg(7.9/9.2 lb)
 Packing Size 88*22.5*11cm(34.7"x8.9"x4.3")
 Pcs/Container 1263pcs/2640pcs/3100pcs
 (20'/40'/40'HQ)



ELECTRIC GRASS TRIMMER
SF7A223

Rated Voltage 220-240V
 Rated Frequency 50Hz
 Rated Input Power 450W/500W/550W
 No-load Spool Speed 10000r/min
 Max Cutting Length 300mm(12")
 Nylon Diameter 1.6mm(0.065")
 Line Length 5m(16.4 ft)
 Quantity Per Carton 1pc
 N.W./G.W. 3.8/4.4kg(8.4/9.7 lb)
 Packing Size 87*26*11cm(34.3"x10.2"x4.3")
 Pcs/Container 1105pcs/2311pcs/2713pcs
 (20'/40'/40'HQ)



ELECTRIC POLE HEDGE TRIMMER
SF7A224-1

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 1000W/7A
 Double Safety Brake No
 Chain Speed 1200spm
 Blade Length 167/18"
 Quantity Per Carton 1pc
 Packing Size 94x26x13cm(37"x10"x5.1")
 Pcs/Container 860pcs/1800pcs/2110pcs
 (20'/40'/40'HQ)



ELECTRIC POLE SAW
SF7A224-2

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 1000W/7A
 Double Safety Brake No
 Auto Lubricate Yes
 Chain Speed 8.3m/s
 Cutting Length 87/10"
 Quantity Per Carton 1pc
 Packing Size 94x26x13cm(37"x10.2"x5.1")
 Pcs/Container 860pcs/1800pcs/2110pcs
 (20'/40'/40'HQ)



ELECTRIC GRASS TRIMMER
SF7A224-3

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 1000W/7A
 No-load Spool Speed 8500r/min
 Cutting Length 360mm(14.2")
 Quantity Per Carton 1pc
 Packing Size 94x26x13cm(37"x10.2"x5.1")
 Pcs/Container 860pcs/1800pcs/2110pcs
 (20'/40'/40'HQ)



MULTI FUNCTION MACHINE
SF7A204

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 1000W/1200W/1400W/9A
 No-load Blade Speed 10000r/min
 No-load Spool Speed 7500r/min
 Max Cutting Length 420mm(17")
 Nylon Diameter 1.6mm(0.065")
 Line Length 5m(16.4 ft)
 Quantity Per Carton 1pc
 N.W./G.W. 10/12kg(22/26.4 lb)
 Packing Size 113x28.5x13cm(44.5"x11.2"x5.1")
 Pcs/Container 657pcs/1373pcs/1612pcs
 (20'/40'/40'HQ)



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com



ZIA SOURCING
GLOBAL SOURCING PARTNER



SF7J301



ELECTRIC POLE SAW **SF7J317**

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power (Hedge Trimmer) 500W
 (Pole Saw) 710W / 6A
 No
 Electric Safety Brake Yes
 Auto Lubricate (Hedge Trimmer) 6000r/min
 No-Load Speed (Pole Saw) 1550r/min
 12.5m/s
 Chain Speed for Pole Saw 12.5m/s
 Cutting Length (Hedge Trimmer) 16"
 (Pole Saw) 8"
 With
 SDS for Pole Saw 1pc
 Quantity Per Carton 121x23x11cm(47.7"x9.1"x4.3")
 Packing Size 890pcs/1860pcs/2180pcs



SF7J301-1

ELECTRIC POLE SAW **SF7J301**

Rated Voltage 220-240V
 Rated Frequency 50Hz
 Rated Input Power 710W
 Double Safety Brake No
 Auto Lubricate Yes
 Chain Speed 10.8m/s
 Cutting Length 308mm(10")/242mm(8")
 Quantity Per Carton 1pc
 Packing Size 150x20x11.2cm(59.1"x7.9"x4.1")
 Pcs/Container 504pcs/1065pcs/1252pcs



SF7J302-1

ELECTRIC POLE SAW **SF7J302**

Rated Voltage 220-240V
 Rated Frequency 50Hz
 Rated Input Power 710W
 Double Safety Brake No
 Auto Lubricate Yes
 Chain Speed 10.8m/s
 Cutting Length 308mm(10")/242mm(8")
 Quantity Per Carton 1pc
 Packing Size 150x20x11.2cm(59.1"x7.9"x4.1")
 Pcs/Container 504pcs/1065pcs/1252pcs



ELECTRIC POLE SAW **MIL-KW19-255/205L**

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 550W/4.8A
 No
 Double Safety Brake Yes
 Auto Lubricate Yes
 Chain Speed 10.8m/s
 Cutting Length 308mm(10")/242mm(8")
 Quantity Per Carton 1pc
 Packing Size 170x14.5x11.5cm(67"x5.7"x4.5")
 Pcs/Container 985pcs/2055pcs/2420pcs



ELECTRIC POLE HEDGE TRIMMER **SF7A701**

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 600W/500W/450W/3.5A
 Blade Length 16"/18"/20"
 Cutting Speed 3300r/min
 Quantity Per Carton 1pc
 N.W./G.W. 8.5/11.5kg(18.7/25.3 lb)
 Packing Size 127.5x23x11cm(41.4"x9.1"x4.3")
 Pcs/Container 830pcs/1720pcs/2010pcs



ELECTRIC HEDGE TRIMMER **SF7A601**

Rated Voltage 220-240V
 Rated Frequency 50Hz
 Rated Input Power 600W/500W/450W
 Blade Length 18"/22"
 Cutting Length 400mm(16")/500mm(20")
 Max Cutting Diameter 16mm(3/8")
 Cutting Speed 3300r/min
 Double Safety Brake Yes
 Quantity Per Carton 4pcs
 N.W./G.W. 6.5/7.5kg(14.3/16.5 lb)
 Packing Size 105x16x27.5cm(43.3"x5.7"x8.3")
 Pcs/Container 1330pcs/2810pcs/3300pcs



ELECTRIC HEDGE TRIMMER **SF7A602**

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 600W/500W/450W/4.5A/4A
 Blade Length 26"/24"/22"/18"
 Cutting Length 610mm(24")/560mm(22")
 500mm(20")/400mm(16")
 Max Cutting Diameter 16mm(3/8")
 Cutting Speed 3300r/min
 Double Safety Brake Yes
 Quantity Per Carton 4pcs
 N.W./G.W. 6/7kg(13.2/15.4 lb)
 Packing Size 93x16x27cm(43.3"x5.7"x8.3")
 Pcs/Container 1360pcs/2868pcs/3378pcs



ELECTRIC BLOWER **SF7A501**

Rated Voltage 220-240V/120V
 Rated Frequency 50Hz/60Hz
 Rated Input Power 900W/7.5A
 No-load Speed 15000r/min
 Max Air Speed 300Km/h(183MPH)
 Max Air Volume 300m³/h(176CFM)
 Quantity Per Carton 6pcs
 N.W./G.W. 9.5/12.5kg(20.9/27.5 lb)
 Packing Size 40x38x62cm(15.4"x17.3"x24.4")
 Pcs/Container 1032pcs/2180pcs/2536pcs

contact@ziasourcing.com

+8619700338590

www.ziasourcing.com

CE



ELECTRIC TILLER
SF7G604

Rated Voltage 220-240V/120V
Rated Frequency 50Hz/60Hz
Rated Input Power 750W/7A
No-load Speed 350r/min
Tilling Width 360mm(14")
Max Tilling Depth 180mm(7")
Quantity Per Carton 1pc
N.W./G.W. 8.6/9.6kg(18.9/21.1 lb)
Packing Size 57x39.2x30.5cm(23.2"x15.2"x10")
Pcs/Container 473pcs/980pcs/1160pcs
(20'/40'/40'HQ)

Two-cycle Oil / Petrol Mixture Rate 1:25/1:40
(Oil Tank Volume:150ml)
(Fuel Tank Volume:230ml)



CE

YD-KW-25

Engine Type	Two-stroke
Engine Displacement	single cylinder 25.4cc
Rated Output Power	0.9Kw(1.21 hp)
Bar Length	10"/12"(3/8")
Max Speed	9000r/min
Idling Speed	3000r/min±200
Package	color box(Square)
Quantity Per Carton	2pcs
N.W./G.W.	8/10kg(17.6/22 lb)
Packing Size	58x32.5x25cm(23.2"x13"x10")
Pcs/Container(20'/40'/40'HQ)	1140pcs/2420pcs/2840pcs

CE



ELECTRIC TILLER
SF7G601
SF7G601-1

Rated Voltage 220-240V/120V
Rated Frequency 50Hz/60Hz
Rated Input Power 1000W/750W/7A
No-load Speed 350r/min/430r/min
Tilling Width 365mm/360mm(14.4"/14.2")
Max Tilling Depth 200mm(8")
Quantity Per Carton 1pc
N.W./G.W. 9.5/10.5kg(20.9/23.1 lb)
Packing Size 60x43x27.5cm(23.6"x16.9"x10.8")
Pcs/Container 387pcs/810pcs/960pcs
(20'/40'/40'HQ)

CE



ELECTRIC TILLER
SF7G601-2
SF7G601-3

Rated Voltage 220-240V/120V
Rated Frequency 50Hz/60Hz
Rated Input Power 750W/1000W/7A
No-load Speed 430r/min/350r/min
Tilling Width 360mm/365mm(14.2"/14.4")
Max Tilling Depth 200mm(8")
Quantity Per Carton 1pc
N.W./G.W. 9.5/10.5kg(20.9/23.1 lb)
Packing Size 60x43x27.5cm(23"x15"x9.4")
Pcs/Container 510pcs/1065pcs/1250pcs
(20'/40'/40'HQ)

CE



ELECTRIC TILLER
SF7G602

Rated Voltage 220-240V/120V
Rated Frequency 50Hz/60Hz
Rated Input Power 1500W/10A
No-load Speed 300r/min
Tilling Width 450mm(18")
Max Tilling Depth 180mm(7")
Wheel With
Quantity Per Carton 1pc
N.W./G.W. 13.8/14.8kg(30.4/32.6 lb)
Packing Size 51x49x31cm(20.1"x19.3"x12.2")
Pcs/Container 355pcs/735pcs/870pcs
(20'/40'/40'HQ)



	YD-KW21-45	YD-KW21-52	YD-KW21-58	YD-KW21-60
Engine Type	Two-stroke single cylinder	Two-stroke single cylinder	Two-stroke single cylinder	Two-stroke single cylinder
Engine Displacement	45cc	50cc	54.6cc	56.5cc
Rated Output Power	1.6Kw(2.15 hp)	1.8Kw(2.41 hp)	2.4Kw(3.22 hp)	2.6Kw(3.57 hp)
Bar Length	16"(3/8"), 18", 325'(0.58")	18"(20"), 325'(0.58")	18"(20"), 325'(0.58")	20"(22"), 325'(0.58")
Max Speed	10500r/min±500	10500r/min±500	10500r/min±500	10500r/min±500
Idling Speed	3000r/min±200	3000r/min±200	3000r/min±200	3000r/min±200
Package	color box(Trapezoid)	color box(Trapezoid)	color box(Trapezoid)	color box(Trapezoid)
Quantity Per Carton	2pcs	2pcs	2pcs	2pcs
N.W./G.W.	13.5/15.5kg(29.7/34.1 lb)	13.5/15.5kg(29.7/34.1 lb)	15/16.5kg(33/36.3 lb)	15/16.5kg(33/36.3 lb)
Packing Size	45x42x30.5cm(17.7"x16.5"x12")	45x42x30.5cm(17.7"x16.5"x12")	45x42x30.5cm(17.7"x16.5"x12")	45x42x30.5cm(17.7"x16.5"x11.6")
Pcs/Container(20'/40'/40'HQ)	940pcs/1980pcs/2330pcs	940pcs/1980pcs/2330pcs	940pcs/1980pcs/2330pcs	850pcs/1800pcs/2120pcs



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com



	YD-KW20-45	YD-KW20-52	YD-KW20-58	YD-KW20-60
Engine Type	Two-stroke single cylinder	Two-stroke single cylinder	Two-stroke single cylinder	Two-stroke single cylinder
Engine Displacement	45cc	50cc	54.6cc	56.5cc
Rated Output Power	1.8Kw(2.41 hp)	2.0Kw(2.68 hp)	2.7Kw(3.62 hp)	2.8Kw(3.75 hp)
Bar Length	18"(3/8"), 18"(325/1.058")	18"(20"), 325/1.058")	18"(20"), 325/1.058")	20"(22"), 325/1.058")
Max Speed	10500r/min±500	10500r/min±500	10500r/min±500	10500r/min±500
Idling Speed	3000r/min±200	3000r/min±200	3000r/min±200	3000r/min±200
Package	color box(Trapezia)	color box(Trapezia)	color box(Trapezia)	color box(Trapezia)
Quantity Per Carton	2pcs	2pcs	2pcs	2pcs
N.W./G.W.	13.5/15.5kg(29.7/34.1 lb)	13.5/15.5kg(29.7/34.1 lb)	15/16.5kg(33/36.3 lb)	15/16.5kg(33/36.3 lb)
Packing Size	45x42x30.5cm(17.7"x16.5"x12")	45x42x30.5cm(17.7"x16.5"x12")	45x42x30.5cm(17.7"x16.5"x12")	45x42x30.5cm(17.7"x16.5"x12")
Pcs/Container(20' /40' /40' HQ)	940pcs/1980pcs/2330pcs	940pcs/1980pcs/2330pcs	940pcs/1980pcs/2330pcs	850pcs/1800pcs/2120pcs



	YD-KW10-38E	YD-KW10-41E	YD-KW10-45E
Engine Type	Two-stroke single cylinder	Two-stroke single cylinder	Two-stroke single cylinder
Engine Displacement	37.2cc	40.2cc	45cc
Rated Output Power	1.2Kw(1.61 hp)	1.4Kw(1.88 hp)	1.6Kw(2.15 hp)
Bar Length	14"(1/8")(3/8")	14"(1/8")(3/8")	16"(3/8"), 18"(325/1.058")
Max Speed	10000r/min	10000r/min	10500r/min±500
Idling Speed	3000r/min±200	3000r/min±200	3000r/min±200
Package	COLOR BOX(Trapezia)	color box(Trapezia)	color box(Trapezia)
Quantity Per Carton	2pcs	2pcs	2pcs
N.W./G.W.	11.6/13.5kg(25.5/29.7 lb)	11.6/13.5kg(25.5/29.7 lb)	15.8/17.2kg(34.8/37.8 lb)
Packing Size	45x42x27.5cm(17.7"x16.5"x10.8")	45x42x27.5cm(17.7"x16.5"x10.8")	45x42x30.5cm(17.7"x16.5"x12")
Pcs/Container(20' /40' /40' HQ)	1040pcs/2200pcs/2580pcs	1040pcs/2200pcs/2580pcs	940pcs/1980pcs/2330pcs



	YD-KW11-45E	YD-KW11-52E	YD-KW11-58E	YD-KW11-60
Engine Type	Two-stroke single cylinder	Two-stroke single cylinder	Two-stroke single cylinder	Two-stroke single cylinder
Engine Displacement	45cc	50.4cc	54.6cc	56.5cc
Rated Output Power	1.8Kw(2.15 hp)	2.0Kw(2.72 hp)	2.7Kw(3.62 hp)	2.8Kw(3.75 hp)
Bar Length	18"(3/8"), 18"(325/1.058")	18"(20"), 325/1.058")	18"(20"), 325/1.058")	20"(22"), 325/1.058")
Max Speed	10500r/min±500	10500r/min±500	10500r/min±500	10500r/min±500
Idling Speed	3000r/min±200	3000r/min±200	3000r/min±200	3000r/min±200
Package	color box(Trapezia)	color box(Trapezia)	color box(Trapezia)	color box(Trapezia)
Quantity Per Carton	2pcs	2pcs	2pcs	2pcs
N.W./G.W.	15.8/17.2kg(34.8/37.8 lb)	15.9/17.4kg(35/38.3 lb)	16/17.5kg(35.2/38.5 lb)	16/17.5kg(35.2/38.5 lb)
Packing Size	45x42x30.5cm(17.7"x16.5"x12")	45x42x30.5cm(17.7"x16.5"x12")	45x42x30.5cm(17.7"x16.5"x12")	45x42x30.5cm(17.7"x16.5"x12")
Pcs/Container(20' /40' /40' HQ)	940pcs/1980pcs/2330pcs	940pcs/1980pcs/2330pcs	940pcs/1980pcs/2330pcs	940pcs/1980pcs/2330pcs



	YD-KW10-52E	YD-KW10-58E	YD-KW10-60E
Engine Type	Two-stroke single cylinder	Two-stroke single cylinder	Two-stroke single cylinder
Engine Displacement	50.4cc	54.6cc	56.5cc
Rated Output Power	2.0Kw(2.68 hp)	2.1Kw(2.82 hp)	2.2Kw(2.95 hp)
Bar Length	14"(1/8"), 18"(20"), 325/1.058")	20"(22"), 325/1.058")	20"(22"), 325/1.058")
Max Speed	10500r/min±500	10500r/min±500	10500r/min±500
Idling Speed	3000r/min±200	3000r/min±200	3000r/min±200
Package	color box(Trapezia)	color box(Trapezia)	color box(Trapezia)
Quantity Per Carton	2pcs	2pcs	2pcs
N.W./G.W.	15.9/17.4kg(35/38.3 lb)	16/17.5kg(35.2/38.5 lb)	16/17.5kg(35.2/38.5 lb)
Packing Size	45x42x30.5cm(17.7"x16.5"x12")	45x42x30.5cm(17.7"x16.5"x12")	50x43x29.5cm(19.7"x16.9"x11.6")
Pcs/Container(20' /40' /40' HQ)	940pcs/1980pcs/2330pcs	940pcs/1980pcs/2330pcs	850pcs/1800pcs/2120pcs



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com



	YD-KW07-38	YD-KW07-41
Engine Type	Two-stroke single cylinder	Two-stroke single cylinder
Engine Displacement	37.2cc	40.1cc
Rated Output Power	1.2Kw(1.61 hp)	1.4Kw(1.88 hp)
Bar Length	14"16"(3/8")	14"16"(3/8")
Max Speed	10000r/min	10000r/min
Idling Speed	3000r/min±200	3000r/min±200
Package	color box(Trapezia)	color box(Trapezia)
Quantity Per Carton	2pcs	2pcs
N.W./G.W.	11.6/13.5kg(25.5/29.7 lb)	11.6/13.5kg(25.5/29.7 lb)
Packing Size	45*42*27.5cm(17.7*16.5*10.8")	45*42*27.5cm(17.7*16.5*10.8")
Pcs/Container(20' /40' /40' HQ)	1040pcs/2200pcs/2580pcs	1040pcs/2200pcs/2580pcs



	YD-KW05-38	YD-KW05-41
Engine Type	Two-stroke single cylinder	Two-stroke single cylinder
Engine Displacement	37.2cc	40.1cc
Rated Output Power	1.3Kw(1.74 hp)	1.5Kw(2.01 hp)
Bar Length	14"16"(3/8")18"	14"16"(3/8")18"
Max Speed	10000r/min	10000r/min
Idling Speed	3000r/min±200	3000r/min±200
Package	color box(Trapezia)	color box(Trapezia)
Quantity Per Carton	2pcs	2pcs
N.W./G.W.	11.6/13.5kg(25.5/29.7 lb)	11.6/13.5kg(25.5/29.7 lb)
Packing Size	45*42*27.5cm(17.7*16.5*10.8")	45*42*27.5cm(17.7*16.5*10.8")
Pcs/Container(20' /40' /40' HQ)	1040pcs/2200pcs/2580pcs	1040pcs/2200pcs/2580pcs



	YD-KW07-45	YD-KW07-52	YD-KW07-58
Engine Type	Two-stroke single cylinder	Two-stroke single cylinder	Two-stroke single cylinder
Engine Displacement	45cc	51.7cc	54.6cc
Rated Output Power	1.6Kw(2.15 hp)	1.8Kw(2.41 hp)	2.1Kw(2.82 hp)
Bar Length	16"(3/8"),18"(3/25"/.058")	18"(20"/.325"/.058")	20"/22"/.325"/.058")
Max Speed	10500r/min±500	10500r/min±500	10500r/min±500
Idling Speed	3000r/min±200	3000r/min±200	3000r/min±200
Package	color box(Trapezia)	color box(Trapezia)	color box(Trapezia)
Quantity Per Carton	2pcs	2pcs	2pcs
N.W./G.W.	13.5/15kg(29.7/33 lb)	13.5/15kg(29.7/33 lb)	13.8/15kg(30.4/34.1 lb)
Packing Size	45*42*32cm(17.7*16.5*12.6")	45*42*32cm(17.7*16.5*12.6")	50*43*29.5cm(19.7*16.9*11.6")
Pcs/Container(20' /40' /40' HQ)	900pcs/1900pcs/2220pcs	900pcs/1900pcs/2220pcs	850pcs/1800pcs/2120pcs



	YD-KW05-45	YD-KW05-52	YD-KW05-58
Engine Type	Two-stroke single cylinder	Two-stroke single cylinder	Two-stroke single cylinder
Engine Displacement	45cc	50cc	54.6cc
Rated Output Power	1.6Kw(2.15 hp)	1.8Kw(2.41 hp)	2.1Kw(2.82 hp)
Bar Length	16" (3/8") /18"(3/25"/.058")20"	18"/20"/.325"/.058")	20"/22"/.325"/.058")
Max Speed	10500r/min±500	10500r/min±500	10500r/min±500
Idling Speed	3000r/min±200	3000r/min±200	3000r/min±200
Package	color box(Trapezia)	color box(Trapezia)	color box(Trapezia)
Quantity Per Carton	2pcs	2pcs	2pcs
N.W./G.W.	13.5/15.5kg(29.7/34.1 lb)	13.5/15.5kg(29.7/34.1 lb)	13.8/15kg(30.4/35.3 lb)
Packing Size	45*42*28.5cm(17.7*16.5*11.2")	45*42*28.5cm(17.7*16.5*11.2")	50*43*29.5cm(19.7*16.9*11.6")
Pcs/Container(20' /40' /40' HQ)	1000pcs/2120pcs/2500pcs	1000pcs/2120pcs/2500pcs	850pcs/1800pcs/2120pcs



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com



CE CE

	YD-KW02-38	YD-KW02-41
Engine Type	Two-stroke single cylinder	Two-stroke single cylinder
Engine Displacement	37.2cc	40.1cc
Rated Output Power	1.2Kw(1.61 hp)	1.4Kw(1.88 hp)
Bar Length	14"1/16"(3/8")	14"1/16"(3/8")
Max Speed	1000r/min	1000r/min
Idling Speed	3000r/min±200	3000r/min±200
Package	color box(Trapezia)	color box(Trapezia)
Quantity Per Carton	2pcs	2pcs
N.W./G.W.	11.6/13.5kg(25.5/29.7 lb)	11.6/13.5kg(25.5/29.7 lb)
Packing Size	45*42*27.5cm(17.7*16.5*10.8")	45*42*27.5cm(17.7*16.5*10.8")
Pcs/Container(20' /40' /40' HQ)	1040pcs/2200pcs/2580pcs	1040pcs/2200pcs/2580pcs



GASOLINE BRUSH CUTTER



CE EUV CE EUV CE EUV CE EUV

	CG-KW07-260E	CG-KW07-330E	CG-KW07-430E	CG-KW07-520E
Engine	1E34F(25.4cc,2-cycle)	1E36F(32.5cc,2-cycle)	1E40F-E(42.7cc,2-cycle)	1E44F-E(48.3cc,2-cycle)
Max Output Power	0.75Kw(1.07 hp)/7000r/min	0.8Kw(1.07 hp)/7000r/min	1.2Kw(1.61 hp)/7500r/min	1.4Kw(1.88 hp)/7500r/min
Idling Speed	3000r/min±200	3000r/min±200	3000r/min±200	3000r/min±200
Cutting Width For Blade	255mm(10.05")	255mm(10.05")	255mm(10.05")	255mm(10.05")
Cutting Width For Trimmer	440mm(17.34")	440mm(17.34")	440mm(17.34")	440mm(17.34")
Tank Volume	0.8L	1L	1.2L	1.2L
Shaft Tube Length	1500mm(59.1")	1500mm(59.1")	1500mm(59.1")	1500mm(59.1")
Shaft Tube Diameter	25.4mm(1")	26mm/28mm(1.02"/1.1")	26mm/28mm(1.02"/1.1")	26mm/28mm(1.02"/1.1")
Line	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")
Quantity Per Carton	1pc	1pc	1pc	1pc
N.W./G.W.	5.6/2kg(11/13.6 lb)	8/9.2kg(17.6/20.24 lb)	8/9.2kg(17.6/20.24 lb)	8/9.2kg(17.6/20.24 lb)
Engine Carton	31*23*35cm(12.2*9.1*13.8")	31*23*35cm(12.2*9.1*13.8")	31*23*35cm(12.2*9.1*13.8")	31*23*35cm(12.2*9.1*13.8")
Pole Carton	165*11*11cm(65*4.3*4.3")	165*11*11cm(65*4.3*4.3")	165*11*11cm(65*4.3*4.3")	165*11*11cm(65*4.3*4.3")
Pcs/Container(20' /40' /40' HQ)	640pcs/1360pcs/1590pcs	620pcs/1200pcs/1500pcs	620pcs/1200pcs/1500pcs	620pcs/1200pcs/1500pcs



YD-KW02-45



YD-KW02-58

CE CE CE

	YD-KW02-45	YD-KW02-52	YD-KW02-58
Engine Type	Two-stroke single cylinder	Two-stroke single cylinder	Two-stroke single cylinder
Engine Displacement	45cc	51.7cc	54.6cc
Rated Output Power	1.6Kw(2.15 hp)	1.8Kw(2.41 hp)	2.1Kw(2.82 hp)
Bar Length	18"(3/8"), 18"(3257.058")	18"20"(3257.058")	20"22"(3257.058")
Max Speed	10500r/min±500	10500r/min±500	10500r/min±500
Idling Speed	3000r/min±200	3000r/min±200	3000r/min±200
Package	color box(Trapezia)	color box(Trapezia)	color box(Trapezia)
Quantity Per Carton	2pcs	2pcs	2pcs
N.W./G.W.	13/14.5kg(28.6/31.9 lb)	13/14.5kg(28.6/31.9 lb)	13.5/15kg(29.7/33.1 lb)
Packing Size	45*42*28.5cm(17.7*16.5*11.2")	45*42*28.5cm(17.7*16.5*11.2")	50*43*29.5cm(19.7*16.9*11.6")
Pcs/Container(20' /40' /40' HQ)	1000pcs/2120pcs/2500pcs	1000pcs/2120pcs/2500pcs	850pcs/1800pcs/2120pcs



CE CE

	CG-KW11-260E	CG-KW11-330E	CG-KW11-430E	CG-KW11-520E
Engine	1E34F(25.4cc,2-cycle)	1E36F-E(32.5cc,2-cycle)	1E40F-E(43cc,2-cycle)	1E44F-E(52cc,2-cycle)
Max Output Power	0.7Kw(0.94 hp)/6500r/min	0.8Kw(1.07 hp)/7000r/min	1.2Kw(1.61 hp)/7000r/min	1.4Kw(1.88 hp)/7000r/min
Idling Speed	3000r/min±200	3000r/min±200	3000r/min±200	3000r/min±200
Cutting Width For Blade	255mm(10.05")	255mm(10.05")	255mm(10.05")	255mm(10.05")
Cutting Width For Trimmer	440mm(17.34")	440mm(17.34")	440mm(17.34")	440mm(17.34")
Tank Volume	0.8L	1L	1.2L	1.2L
Shaft Tube Length	1500mm(59.1")	1500mm(59.1")	1500mm(59.1")	1500mm(59.1")
Shaft Tube Diameter	26mm(1.02")	26mm/28mm(1.02"/1.1")	26mm/28mm(1.02"/1.1")	26mm/28mm(1.02"/1.1")
Line	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")
Quantity Per Carton	1pc	1pc	1pc	1pc
N.W./G.W.	5/6.2kg(11/13.6 lb)	8/9.2kg(17.6/20.24 lb)	8/9.2kg(17.6/20.24 lb)	8/9.2kg(17.6/20.24 lb)
Engine Carton	31*23*35cm(12.2*9.1*13.8")	31*23*35cm(12.2*9.1*13.8")	31*23*35cm(12.2*9.1*13.8")	31*23*35cm(12.2*9.1*13.8")
Pole Carton	165*11*11cm(65*4.3*4.3")	165*11*11cm(65*4.3*4.3")	165*11*11cm(65*4.3*4.3")	165*11*11cm(65*4.3*4.3")
Pcs/Container(20' /40' /40' HQ)	620pcs/1200pcs/1500pcs	620pcs/1200pcs/1500pcs	620pcs/1200pcs/1500pcs	620pcs/1200pcs/1500pcs

GASOLINE BRUSH CUTTER




	CG-KW14-330	CG-KW14-430	CG-KW14-520
Engine	1E36F(32.5cc,2-cycle)	1E40F(42.7cc,2-cycle)	1E44F(51.7cc,2-cycle)
Max Output Power	0.9Kw(1.21 hp)/7000r/min	1.2Kw(1.61 hp)/7500r/min	1.4Kw(1.88 hp)/7500r/min
Idling Speed	3000r/min±200	3000r/min±200	3000r/min±200
Cutting Width For Blade	255mm(10.05")	255mm(10.05")	255mm(10.05")
Cutting Width For Trimmer	440mm(17.34")	440mm(17.34")	440mm(17.34")
Tank Volume	1L	1.2L	1.2L
Shaft Tube Length	1500mm(59.1")	1500mm(59.1")	1500mm(59.1")
Shaft Tube Diameter	26mm/28mm(1.02"/1.1")	26mm/28mm(1.02"/1.1")	26mm/28mm(1.02"/1.1")
Line	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")
Quantity Per Carton	1pc	1pc	1pc
N.W./G.W.	8/9.2kg(17.6/20.24 lb)	8/9.2kg(17.6/20.24 lb)	8/9.2kg(17.6/20.24 lb)
Engine Carton	31*23*35cm(12.2"x9.1"x13.8")	31*23*35cm(12.2"x9.1"x13.8")	31*23*35cm(12.2"x9.1"x13.8")
Pole Carton	165*11*11cm(65"x4.3"x4.3")	165*11*11cm(65"x4.3"x4.3")	165*11*11cm(65"x4.3"x4.3")
Pcs/Container(20'/40'/40'HQ)	620pcs/1270pcs/1500pcs	620pcs/1270pcs/1500pcs	620pcs/1270pcs/1500pcs

GASOLINE BRUSH CUTTER



	CG-KW02-260	CG-KW02-330	CG-KW02-430	CG-KW02-520
Engine	1E34F(25.4cc,2-cycle)	1E36F(32.5cc,2-cycle)	1E40F-5(42.7cc,2-cycle)	1E44F-5(49.3cc,2-cycle)
Max Output Power	0.75Kw(1 hp)/7000r/min	0.9Kw(1.21 hp)/7000r/min	1.4Kw(1.88 hp)/7500r/min	1.5Kw(2.01 hp)/7500r/min
Idling Speed	3000r/min±200	3000r/min±200	3000r/min±200	3000r/min±200
Cutting Width For Blade	255mm(10.05")	255mm(10.05")	255mm(10.05")	255mm(10.05")
Cutting Width For Trimmer	440mm(17.34")	440mm(17.34")	440mm(17.34")	440mm(17.34")
Tank Volume	0.8L	1L	1.2L	1.2L
Shaft Tube Length	1500mm(59.1")	1500mm(59.1")	1500mm(59.1")	1500mm(59.1")
Shaft Tube Diameter	25.4mm(1")	26mm/28mm(1.02"/1.1")	26mm/28mm(1.02"/1.1")	26mm/28mm(1.02"/1.1")
Line	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")
Quantity Per Carton	1pc	1pc	1pc	1pc
N.W./G.W.	5/6.2kg(11.1/13.6 lb)	8/9.2kg(17.6/20.24 lb)	8/9.2kg(17.6/20.24 lb)	8/9.2kg(17.6/20.24 lb)
Engine Carton	31*23*31cm(12.2"x9.1"x12.2")	31*23*35cm(12.2"x9.1"x13.8")	31*23*35cm(12.2"x9.1"x13.8")	31*23*35cm(12.2"x9.1"x13.8")
Pole Carton	165*11*11cm(65"x4.3"x4.3")	165*11*11cm(65"x4.3"x4.3")	165*11*11cm(65"x4.3"x4.3")	165*11*11cm(65"x4.3"x4.3")
Pcs/Container(20' /40' /40' HQ)	640pcs/1360pcs/1590pcs	620pcs/1200pcs/1500pcs	620pcs/1200pcs/1500pcs	620pcs/1200pcs/1500pcs



	CG-KW04-330	CG-KW04-430	CG-KW04-520
Engine	1E36F(32.5cc,2-cycle)	1E40F(42.7cc,2-cycle)	1E44F(49.3cc,2-cycle)
Max Output Power	1.15Kw(1.54 hp)/7000r/min	1.4Kw(1.88 hp)/7500r/min	1.6Kw(2.15 hp)/7500r/min
Idling Speed	3000r/min±200	3000r/min±200	3000r/min±200
Cutting Width For Blade	255mm(10.05")	255mm(10.05")	255mm(10.05")
Cutting Width For Trimmer	440mm(17.34")	440mm(17.34")	440mm(17.34")
Tank Volume	1L	1.2L	1.2L
Shaft Tube Length	1500mm(59.1")	1500mm(59.1")	1500mm(59.1")
Shaft Tube Diameter	26mm/28mm(1.02"/1.1")	26mm/28mm(1.02"/1.1")	26mm/28mm(1.02"/1.1")
Line	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")
Quantity Per Carton	1pc	1pc	1pc
N.W./G.W.	8/9.2kg(17.6/20.24 lb)	8/9.2kg(17.6/20.24 lb)	8/9.2kg(17.6/20.24 lb)
Engine Carton	31*23*35cm(12.2"x9.1"x13.8")	31*23*35cm(12.2"x9.1"x13.8")	31*23*35cm(12.2"x9.1"x13.8")
Pole Carton	165*11*11cm(65"x4.3"x4.3")	165*11*11cm(65"x4.3"x4.3")	165*11*11cm(65"x4.3"x4.3")
Pcs/Container(20'/40'/40'HQ)	620pcs/1200pcs/1500pcs	620pcs/1200pcs/1500pcs	620pcs/1200pcs/1500pcs



	CG-KW-260	CG-KW-330	CG-KW-430	CG-KW-520
Engine	1E34F(25.4cc,2-cycle)	1E36F(32.5cc,2-cycle)	1E40F(42.7cc,2-cycle)	1E44F(49.3cc,2-cycle)
Max Output Power	0.75Kw(1 hp)/8500r/min	1.15Kw(1.54 hp)/7000r/min	1.4Kw(1.88 hp)/7500r/min	1.6Kw(2.15 hp)/7500r/min
Idling Speed	3000r/min±200	3000r/min±200	3000r/min±200	3000r/min±200
Cutting Width For Blade	255mm(10.05")	255mm(10.05")	255mm(10.05")	255mm(10.05")
Cutting Width For Trimmer	440mm(17.34")	440mm(17.34")	440mm(17.34")	440mm(17.34")
Tank Volume	0.8L	1L	1.2L	1.2L
Shaft Tube Length	1500mm(59.1")	1500mm(59.1")	1500mm(59.1")	1500mm(59.1")
Shaft Tube Diameter	25.4mm(1")	26mm/28mm(1.02"/1.1")	26mm/28mm(1.02"/1.1")	26mm/28mm(1.02"/1.1")
Line	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")
Quantity Per Carton	1pc	1pc	1pc	1pc
N.W./G.W.	5/6.2kg(11.1/13.6 lb)	8/9.2kg(17.6/20.24 lb)	8/9.2kg(17.6/20.24 lb)	8/9.2kg(17.6/20.24 lb)
Engine Carton	31*23*31cm(12.2"x9.1"x12.2")	31*23*35cm(12.2"x9.1"x13.8")	31*23*35cm(12.2"x9.1"x13.8")	31*23*35cm(12.2"x9.1"x13.8")
Pole Carton	165*11*11cm(65"x4.3"x4.3")	165*11*11cm(65"x4.3"x4.3")	165*11*11cm(65"x4.3"x4.3")	165*11*11cm(65"x4.3"x4.3")
Pcs/Container(20' /40' /40' HQ)	640pcs/1360pcs/1590pcs	620pcs/1200pcs/1500pcs	620pcs/1200pcs/1500pcs	620pcs/1200pcs/1500pcs

GASOLINE BRUSH CUTTER



	CG-KW-431G	CG-KW-437	CG-KW-431E	CG-KW139FB
Engine	139FG(31cc,4-cycle)	1140FA(38cc,4-cycle)	139FG(31cc,4-cycle)	1139FB(35,8cc,4-cycle)
Max Output Power	0.85/7500kw/r/min	1.0/6500kw/r/min	0.85/7500kw/r/min	1.0Kw(1.34 hp)/7000r/min
Idling Speed	3000r/min±200	3000r/min±200	3000r/min±200	3000r/min±200
Cutting Width For Blade	255mm(10.05")	255mm(10.05")	255mm(10.05")	255mm(10.05")
Cutting Width For Trimmer	440mm(17.34")	440mm(17.34")	440mm(17.34")	440mm(17.34")
Tank Volume	0.7L	0.7L	0.9L	1L
Shaft Tube Length	1500mm(59.1")	1500mm(59.1")	1500mm(59.1")	1500mm(59.1")
Shaft Tube Diameter	26mm(1.02")	26mm(1.02")	26mm(1.02")	26mm(1.02")
Line	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")
Quantity Per Carton	1pc	1pc	1pc	1pc
N.W./G.W.	8/9.2kg(17.6/20.24 lb)	8/9.2kg(17.6/20.24 lb)	8/9.2kg(17.6/20.24 lb)	8/9.2kg(17.6/20.24 lb)
Engine Carton	31*23*35cm(12.2"x9.1"x13.8")	31*23*35cm(12.2"x9.1"x13.8")	31*23*35cm(12.2"x9.1"x13.8")	31*23*35cm(12.2"x9.1"x13.8")
Pole Carton	165*11*11cm(65"x4.3"x4.3")	165*11*11cm(65"x4.3"x4.3")	165*11*11cm(65"x4.3"x4.3")	165*11*11cm(65"x4.3"x4.3")
Pcs/Container(20'/40'/HQ)	620pcs/1270pcs/1500pcs	620pcs/1270pcs/1500pcs	620pcs/1270pcs/1500pcs	620pcs/1270pcs/1500pcs

GASOLINE BRUSH CUTTER

CG-KW-330S
CG-KW-430S
CG-KW-520S



	CG-KW-330S	CG-KW-430S	CG-KW-520S	CG-KW-328S
Engine	1E36F(32,5cc,2-cycle)	1E40F-5(43cc,2-cycle)	1E44F-5(49,3cc,2-cycle)	1E36F(30,5cc,2-cycle)
Max Output Power	0.9Kw(1.21 hp)/7000r/min	1.4Kw(1.88 hp)/7500r/min	1.5Kw(2.01 hp)/7500r/min	0.8Kw(1.07 hp)/6000r/min
Idling Speed	3000r/min±200	3000r/min±200	3000r/min±200	3000r/min±200
Cutting Width For Blade	255mm(10.05")	255mm(10.05")	255mm(10.05")	255mm(10.05")
Cutting Width For Trimmer	440mm(17.34")	440mm(17.34")	440mm(17.34")	440mm(17.34")
Tank Volume	1L	1.2L	1.2L	1L
Line	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")
Quantity Per Carton	1pc	1pc	1pc	1pc
N.W./G.W.	8/9.2kg(17.6/20.24 lb)	8/9.2kg(17.6/20.24 lb)	8/9.2kg(17.6/20.24 lb)	8/9.2kg(17.6/20.24 lb)
Engine Carton	41*28*28cm(16.2"x11"x11")	41*28*28cm(16.2"x11"x11")	41*28*28cm(16.2"x11"x11")	41*28*28cm(16.2"x11"x11")
Pole Carton	139*9.5*7cm(54.8"x3.7"x2.8")	139*9.5*7cm(54.8"x3.7"x2.8")	139*9.5*7cm(54.8"x3.7"x2.8")	139*9.5*7cm(54.8"x3.7"x2.8")
Pcs/Container(20'/40'/HQ)	670pcs/1400pcs/1640pcs	670pcs/1400pcs/1640pcs	670pcs/1400pcs/1640pcs	670pcs/1400pcs/1640pcs



	CG-KW-437S	CG-KW-431ES	CG-KW-431GS
Engine	1140FA(38cc,4-cycle)	139FG(31cc,4-cycle)	139FG(31cc,4-cycle)
Max Output Power	1.0/6500Kw/r/min	0.85/7500Kw/r/min	0.85/7500Kw/r/min
Idling Speed	3000r/min±200	3000r/min±200	3000r/min±200
Cutting Width For Blade	255mm(10.05")	255mm(10.05")	255mm(10.05")
Cutting Width For Trimmer	440mm(17.34")	440mm(17.34")	440mm(17.34")
Tank Volume	0.7L	0.9L	0.7L
Shaft Tube Length	1500mm(59.1")	1500mm(59.1")	1500mm(59.1")
Shaft Tube Diameter	26mm(1.02")	26mm(1.02")	26mm(1.02")
Line	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")	Φ2.4mmX3m(Φ0.09"x118.2")
Quantity Per Carton	1pc	1pc	1pc
N.W./G.W.	8/9.2kg(17.6/20.24 lb)	8/9.2kg(17.6/20.24 lb)	8/9.2kg(17.6/20.24 lb)
Engine Carton	31*23*35cm(12.2"x9.1"x13.8")	31*23*35cm(12.2"x9.1"x13.8")	31*23*35cm(12.2"x9.1"x13.8")
Pole Carton	165*11*11cm(65"x4.3"x4.3")	165*11*11cm(65"x4.3"x4.3")	165*11*11cm(65"x4.3"x4.3")
Pcs/Container(20'/40'/HQ)	620pcs/1270pcs/1500pcs	620pcs/1270pcs/1500pcs	620pcs/1270pcs/1500pcs



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com

GASOLINE BRUSH CUTTER



CE EUV

YG-KW-26D

Engine	1E34F(25.4cc 2-cycle)
Max Output Power	0.75Kw(1 hp)6500r/min
Idling Speed	3000±200r/min
Tank Volume	0.6L
Shaft Tube Diameter	26mm(1.02")
Two-cycle Oil / Petrol	1:25
Quantity Per Carton	1pc
Packing Size	107×29×28cm(42.2"×11.4"×11")
Pcs/Container(40' HQ)	775pcs



PushStart™

Suitable for 1E36F(32.5cm²-cycle), 1E40F-5(42.7cm²-cycle) and 1E44F-5(49.3cm²-cycle) engine



SF8E106

Rated Voltage	12V
Battery Capacity	1.3Ah
No-load Speed	1600r/min
Full Charge Working Times	40 times
Battery Charge Time	1 hour



ACCESSORIES FOR CHOICE

			
2T-RHOMBIC BLADE	2T-SQUARE BLADE	3T-BLADE	4T-BLADE
			
40T-BLADE	80T-BLADE	40T-ALLOY BLADE	BLADE COVER
			
HANDLE-1	HANDLE-2	HANDLE-3	HANDLE-4
			
HANDLE-5	HANDLE-6	BELT-1	BELT-2
			
BELT-3	BELT-4	BELT-5	NYLON LINE
			
NYLON HEAD	CONNECTOR-1 (Steel)	CONNECTOR-2 (Aluminum)	CONNECTOR-3 (Aluminum)

EASY LOAD TRIMMER HEAD



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com

GASOLINE EARTH AUGERS



GD-KW-710D



GD-KW-490D

	GD-KW-710D	GD-KW-490D
Engine	1E48F	1E44F-5
Engine Power	2.2Kw(3 hp)	1.4Kw(1.88 hp)
Engine Displacement	63cc	49.3cc
Idling Speed	2800-3000r/min	3000r/min±200
Max Speed	8500r/min±500	7500r/min±500
Fuel Tank Capacity	1.6L	1.2L
Drill Diameter	100/150/200/300mm(3.94"/5.91"/7.88")	100/150/200/300mm(3.94"/5.91"/7.88")
Net Weight	16/17kg(35.2/37.4 lb)	12/13kg(26.4/28.6 lb)
Quantity Per Carton	1pc	1pc

GASOLINE BLOWER



	SF5A501	SF5A502
Engine	1E34FC	1E34FC
Displacement	25.4cc	25.4cc
Power	0.75/7500Kw/r/min	0.75/7500Kw/r/min
Fuel tank Capacity	400ml	400ml
Air outlet flow	0.17m³/s	0.17m³/s
Air outlet speed	68m/s	68m/s
N.Wt/G.W	4.5/6kg	4.8/7.3kg
Package Dimension	35.5x28.5x39.5cm	58x35.5x37cm
Pcs/Container (20'/40'/40'HQ)	700pcs/1451pcs/1701pcs	367pcs/761pcs/892pcs

GASOLINE BLOWER VACUUM

GASOLINE MIST DUSTER



	SF5A401	SF5L301
Engine	1E40F-5B	Engine 1E40FP-3Z
Displacement	42.7cc	Power 2.13/7500Kw/r/min
Power	1.25/7000Kw/r/min	Displacement 41.5cc
Fuel tank Capacity	1300ml	Range ≥12m
Air outlet flow	0.2m³/s	Fan Rotation Speed 7500r/min
Air outlet speed	70m/s	Fuel tank 1400ml
N.Wt/G.W	8.5/10kg	Tank Capacity 20L
Package Dimension	43x39x46cm	N.Wt/G.W 11/14kg
Pcs/Container (20'/40'/40'HQ)	363pcs/751pcs/881pcs	Packing 49x41x77cm
		Pcs/Container 181pcs/375pcs/493pcs (20'/40'/40'HQ)



contact@ziasourcing.com



+8619700338590



www.ziasourcing.com